



2015

wiha 
Tools that work for you

Professional HEX Tools



















Inch & Metric







Complete Hex Program

















Wiha Hex Tools Index

	DESCRIPTION	Page
	T-handles	13
	PocketStar Fold Outs	17
	L-keys - Long/Short Nickel & Black Finish	18-20
	Insulated T-handle	21
	Insulated Hex Drivers	21
	Insulated L-keys	22
	Insulated Sockets	22
	Drive-Loc VI Blades	23
	ESD Safe Precision	26
	Precision	28
	PicoFinish	27
	SYSTEM 4 Blades	29
	SYSTEM 4 Micro Bits	31
	Insert/Power Bit Sets	32
	XSelectors	34
	Bit Insert & Power Bits	35-37
	Sockets	38-40









Wiha Security Hex Index

	DESCRIPTION	Page
	SYSTEM 4 Micro Bits	31
	Insert Bits	35
	Sockets	39-40







Wiha Ball End Hex Tools Index

	DESCRIPTION	Page
	Ball End L-keys & Sets Chrome Finish	6
	Colored Coded L-keys Chrome Finish	5
	Ball End L-keys & Sets Long, Mid-Length & Short Black Finish	7-9
	Stainless Steel L-keys & Set	7
	Soft Grip T-handles Chrome & Black Finish	11-12
	3K Series Screwdrivers	16
	Drive-Loc VI Blades	23
	Precision	29
	PicoFinish Soft Grip	27
	SYSTEM 4 Blades	29
	Stubby Bit Holder Sets	32
	Ball End Hex Insert Bit	36
	Ball End Hex Socket	39






MagicRing Screw Holding Hex Tools Index

	DESCRIPTION	Page
	L-keys Screw Holding	4
	T-handles Screw Holding	10
	SoftFinish Screw Holding Cushion Grip	14-15
	PocketStars Screw Holding	17
	Insert Bits Screw Holding	33
	Power Bits Screw Holding	33
	Bit-Selectors Screw Holding Insert & Power Bits	33,34








Wiha Drive-Loc VI Index

DESCRIPTION	Page
 Drive-Loc VI Handle SoftFinish® Cushion Grip	23
 Drive-Loc VI Handle ESD Safe Cushion Grip	23
 Drive-Loc VI Handle MicroFinish Non-Slip Grip	23
 Drive-Loc VI Blades	23
 Ball End Hex & Hex Inch/Metric	
 Drive-Loc VI Blade Set	23






Wiha TorqueControl Tools Index

DESCRIPTION	Page
 Insulated TorqueControl	24
 TorqueVario Handle	24
 Hex Inch/Metric Blades	24
 T-handle Torque Tools	25
 Hex Inch/Metric Blades	25







Wiha Bit Sets Index

DESCRIPTION	Page
 MicroBit Sets	31
 Stubby Bit Holder Sets	32
 Topra Bit Sets	32
 Bit Selector Sets	33
 Power Bit Belt Packs	34
 XSelectors	34
 PokitPaks	34

Wiha Power & Insert Bits Index

DESCRIPTION	Page
 MagicRing Hex Inch & Metric Insert/Power Bits	33
 Hex Inch & Metric Insert/Power Bits	35-37
 Security Bits Inch & Metric Insert/Power Bits	35
 Ball End Hex Inch & Metric	36
 Stainless Steel Metric	36

Wiha Sockets & Sets Index

DESCRIPTION	Page
 Insulated Sockets	22
 Hex Bit Sockets 1/4" Drive	38-39
 Hex Bit Sockets 3/8" Drive	39
 Ball End Sockets	39
 6" Bit Sockets 1/4" & 3/8" Drive	38
 Socket Sets	40



MagicRing Ball End Hex Keys

Ball End Hex Keys
Chamfered ends for easy insertion




Ball End Hex Keys
Wiha exclusive Chrome-V-Moly super tool steel, hardened, hard chromed, screw holding

ErgoStar Holder
Every key can be taken out separately without having to move another key

U.S. Patent 6,302,001 B1

669 MagicRing Ball End **Metric** Hex L-key Long blade Chrome-V-Moly, hardened, hard chrome finish.



Hard Chrome Finish

[SHOP](#)

Item No.	mm	mm	mm	lbs.	pkg.	
66904*	1.5	90	14	.01	10	No Ring
66908*	2.0	99	16	.01	10	No Ring
66912*	2.5	111	18	.01	10	No Ring
MagicRing						
66916	3.0	125	20	.02	10	
66920	4.0	138	25	.04	10	
66924	5.0	158	28	.07	10	
66928	6.0	178	32	.12	10	
66936	8.0	198	36	.23	10	
66944	10.0	221	40	.40	10	

* Standard Ball - No Ring

66990 9 Pc. MagicRing Long **Metric** Ball End Hex L-key Set, In ErgoStar Holder Blade Chrome-V-Moly, hardened, hard chrome finish.



Hard Chrome Finish


[SHOP](#)

Item No.	mm	mm	mm	mm	lbs.	
66990	66904*	1.5	90	66924	5.0	158
	66908*	2.0	99	66928	6.0	178
	66912*	2.5	111	66936	8.0	197
	66916	3.0	125	66944	10.0	221
	66920	4.0	138			

* Standard Ball - No Ring

Screw Holding Hex Tools!

669 MagicRing Ball End Inch Hex L-key, Long blade Chrome-V-Moly, hardened, hard chrome finish.




Hard Chrome Finish

[SHOP](#)

Item No.	Inch	Inch	Inch	lbs.	pkg.	
66945*	.050	2.8	.5	.01	10	No Ring
66946*	1/16	3.1	.6	.01	10	No Ring
66947*	5/64	3.5	.7	.01	10	No Ring
66950*	3/32	3.9	.7	.01	10	No Ring
66952*	7/64	4.3	.7	.02	10	No Ring
MagicRing						
66953	1/8	4.6	.8	.02	10	
66955	9/64	5.2	.9	.03	10	
66956	5/32	5.7	1.0	.04	10	
66959	3/16	6.2	1.1	.06	10	
66962	7/32	6.7	1.2	.09	10	
66965	1/4	7.3	1.2	.13	10	
66968	5/16	8.0	1.4	.22	10	
66971	3/8	8.8	1.6	.36	10	

* Standard Ball - No Ring

66991 13 Piece MagicRing Long Inch Ball End Hex L-key Set, In ErgoStar Holder Chrome-V-Moly, hardened, hard chrome finish.



Hard Chrome Finish

[SHOP](#)

Item No.	Inch	Inch	Inch	Inch	lbs.	
66991	66945*	.050	2.8	66956	5/32	5.7
	66946*	1/16	3.1	66959	3/16	6.2
	66947*	5/64	3.5	66962	7/32	6.7
	66950*	3/32	3.9	66965	1/4	7.3
	66952*	7/64	4.3	66968	5/16	8.0
	66953	1/8	4.6	66971	3/8	8.8
	66955	9/64	5.2			

* Standard Ball - No Ring

66992 22 Piece Combination MagicRing L-key Set, In ErgoStar Holder Blade Chrome-V-Moly, hardened, hard chrome finish.




[SHOP](#)

Item No.	lbs.
66992	Set includes Inch & Metric: 2.02
	66990 Set - 1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
	66991 Set - .050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

* Standard Ball - No Ring

Inch & Metric Ball End Hex Keys Color Coded



NEW


Wiha standard extra long for extended reach

Corrosion resistant nickel chrome base finish

Wiha exclusive Chrome-V-Moly super tool steel, through hardened

25° Working Angles

Color coding for immediate identification of L-keys



25° Angle

For angle entry



NEW

[SHOP](#)

569 Ball End Inch Hex Long Arm L-key, Set With Color

Coded Keys Blade Chrome-V-Moly, hardened.

Item	No.	Color Key	Inch
56901	Brown	.050	
56902	Green	1/16	
56903	Chrome	5/64	
56904	Blue	3/32	
56905	Purple	7/64	
56906	Red	1/8	
56907	Copper	9/64	
56908	Gold	5/32	
56909	Grey	3/16	
56910	Black	7/32	
56911	Chrome	1/4	
56912	Green	5/16	
56913	Brown	3/8	



NEW

[SHOP](#)

569 Ball End Metric Hex Long Arm L-key, Set With Color

Coded Keys Blade Chrome-V-Moly, hardened.

Item	No.	Color Key	mm	mm	mm	lbs.
56914	brown	1.5	91	15	.005	
56915	green	2.0	101	18	.009	
56916	chrome	2.5	113	20	.017	
56917	blue	3.0	128	23	.019	
56918	purple	4.0	142	29	.04	
56919	red	5.0	163	33	.06	
56920	Copper	6.0	184	38	.10	
56921	gold	8.0	206	44	.20	
56922	grey	10.0	231	50	.38	




NEW

[SHOP](#)

36986 13 Piece Inch Ball End Hex Long L-key Set With Color

Coded Keys Chrome-V-Moly, hardened

Item No.	Inch:	lbs.
36986	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	.90



NEW


[SHOP](#)

36987 9 Piece Metric Ball End Hex Long L-key Set With Color

Coded Keys Chrome-V-Moly, hardened

Item No.	Metric:	lbs.
36987	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	.90

Metric Ball End Hex Keys Chrome Finish




669 Ball End Metric Hex L-key, Long Arm

Blade Chrome-V-Moly, hardened, hard chrome finish.



Item No.	mm	mm	mm	lbs.	pkg.
66904	1.5	90	14	.004	10
66908	2.0	99	16	.007	10
66912	2.5	111	18	.012	10
66918	3.0	125	20	.019	10
66922	4.0	138	25	.042	10
66926	5.0	158	28	.072	10
66930	6.0	178	32	.12	10
66937	8.0	198	36	.23	10
66938	10.0	221	40	.40	10

Inch Ball End Hex Keys Chrome Finish



369 Ball End Inch Hex L-key, Long Arm

Blade Chrome-V-Moly, hardened, hard chrome finish.



Item No.	Inch	Inch	Inch	lbs.	pkg.
36949	1/8	4.6	.8	.021	10
36951	9/64	5.2	.9	.029	10
36954	5/32	5.7	1.0	.035	10
36957	3/16	6.2	1.1	.059	10
36958	7/32	6.7	1.2	.092	10
36960	1/4	7.3	1.2	.13	10
36961	5/16	8.0	1.4	.22	10
36963	3/8	8.8	1.6	.36	10




66994 9 Piece Metric Ball End Hex Long L-key Set

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0,	
66994	5.0, 6.0, 8.0, 10.0mm	lbs. .98




36998 13 Piece Inch Ball End Hex Long L-key Set, In Plastic Holder

Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8,	
36998	9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	lbs. 1.0



66995 6 Piece Metric Ball End Hex Long L-key Set

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm	
66995		lbs. .21



66993 2 Pack Inch & Metric Ball End Hex L-key Sets

Item No	High alloy Chrome-V-Moly, hardened, hard chrome finish. In molded Holders	
66993	2 Sets with 22 L-keys include:	lbs.
	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	2.0
	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	




66998 11 Piece Metric Ball End Hex Long L-key Set

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0,	
66998	5.0, 6.0, 7.0, 8.0, 9.0, 10.0mm	lbs. 1.36

ErgoStar Ball End Hex Keys Chrome Finish




Fast Auto Open Key Holder

66996	9 Piece ErgoStar Metric Ball End Hex Long L-key Set	
Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0,	
66996	6.0, 8.0, 10.0mm	lbs. 1.02




Fast Auto Open Key Holder

66988	13 Piece ErgoStar Inch Ball End Hex Long L-key Set	
Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8,	
66988	9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	lbs. 1.08



Fast Auto Open Key Holder


66982	22 Piece ErgoStar Inch/Metric Ball End Hex Long L-key Set	
Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8,	
66982	9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	lbs. 2.10
	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0,	
	6.0, 8.0, 10.0mm	





ErgoStar Inch Ball End L-key Set

- Patented ErgoStar auto open key holder
- Keys of chrome-vanadium-molybdenum steel
- 60HRC through hardened durability
- Hard chrome finish for best wear resistance


Stainless Steel Metric Ball End Hex Key



For angle entry


369	Stainless Steel Ball End Metric Hex L-key, Long Arm	
	Blade hardened, hard chrome finish.	
Item		
No.	mm	mm
36911	1.5	91
36913	2.0	101
36914	2.5	113
36915	3.0	128
36917	4.0	142
36918	5.0	163
36919	6.0	184
36921	8.0	206
36922	10.0	231




36988	9 Pc. Stainless Steel Ball End L-key Set	
	In molded ergo holder	
Item No.		
36988	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm	lbs. .88
	6.0, 8.0, 10.0mm	

L-keys Black Finish Sets



36995	2 Pack Inch & Metric Ball End Hex L-key Sets	High alloy Chrome-V-Moly, hardened, black finish.
Item No		
36995	2 Sets with 22 L-keys include:	lbs. 2.21
	Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	
	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	



36696	3 Pack Inch & Metric Mid-Length Ball End Hex & TORX L-key Sets	Blade Chrome-V-Moly, hardened, black finish.
Item No		
36696	3 Sets with Hex & TORX L-keys include:	lbs. 2.58
	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	
	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	
	TORX: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	



Ball End Inch & Metric Hex Keys Black Finish



Ball End Hex Keys
Chamfered ends for easy insertion

Ball End Hex L-keys
Working angle up to 25°

See Short Arm L-keys on Page 19 & 20



369 Ball End Hex **Metric** L-key, Long Arm
Blade Chrome-V-Moly, hardened, black finish.

For angle entry

[SHOP](#)


Item No.	mm	mm	mm	lbs.	pkg.
36904	1.5	90	14	.004	10
36908	2.0	99	16	.007	10
36912	2.5	111	18	.012	10
36916	3.0	125	20	.019	10
36920	4.0	138	25	.042	10
36924	5.0	158	28	.072	10
36928	6.0	178	32	.12	10
36936	8.0	198	36	.23	10
36944	10.0	221	40	.40	10



36990 9 Piece **Metric** Ball End Hex Long L-key Set
Blade Chrome-V-Moly, hardened, black finish.

[SHOP](#)


Item No.	mm	mm	mm	mm	mm	lbs.
36990	36904	1.5	90	36924	5.0	158
	36908	2.0	99	36928	6.0	178
	36912	2.5	111	36936	8.0	198
	36916	3.0	125	36944	10.0	221
	36920	4.0	138			



36992 6 Piece **Metric** Ball End Long Hex L-key Set
Blade Chrome-V-Moly, hardened, black finish.

[SHOP](#)

Item No.	mm	mm	mm	mm	lbs.	
36992	36904	1.5	90	36916	3.0	125
	36908	2.0	99	36920	4.0	138
	36912	2.5	111	36924	5.0	158



For angle entry

[SHOP](#)

369 Ball End Hex Inch L-key, Long Arm
Blade Chrome-V-Moly, hardened, black finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.
36945	.050	2.8	.5	.002	10
36946	1/16	3.1	.6	.004	10
36947	5/64	3.5	.7	.007	10
36950	3/32	3.9	.7	.010	10
36952	7/64	4.3	.7	.016	10
36953	1/8	4.6	.8	.021	10
36955	9/64	5.2	.9	.029	10
36956	5/32	5.7	1.0	.035	10
36959	3/16	6.2	1.1	.059	10
36962	7/32	6.7	1.2	.092	10
36965	1/4	7.3	1.2	.13	10
36968	5/16	8.0	1.4	.22	10
36971	3/8	8.8	1.6	.36	10



36991 13 Piece Inch Ball End Hex Long L-key Set
Blade Chrome-V-Moly, hardened, black finish.

[SHOP](#)

Item No.	lbs.
36991	1.0

13 pc. set includes:
.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



36993 8 Piece Inch Ball End Hex Long L-key Set
Blade Chrome-V-Moly, hardened, black finish.

[SHOP](#)

Item No.	lbs.
36993	.62

8 pc. set includes:
5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"

Mid-Length Ball End Hex Keys Black Finish



Ball End Hex Keys
Chamfered ends for easy insertion

Ball End Hex L-keys
Working angle up to 25°

NEW



For angle entry



NEW

SHOP

369 Ball End Hex Metric Mid-Length L-keys

Blade Chrome-V-Moly, hardened, black finish.

Item No.	mm	mm	mm	lbs.	pkg.	10 Pack Item No.	pkg.
36930	1.5	79	13	.010	1	46732	10
36931	2.0	84	15	.016	1	46733	10
36932	2.5	90	17	.029	1	46734	10
36933	3.0	100	19	.035	1	46735	10
36934	4.0	113	24	.059	1	46736	10
36935	5.0	123	26	.092	1	46737	10
36938	6.0	144	31	.13	1	46738	10
36939	8.0	159	35	.22	1	46739	10
36966	10.0	181	37	.36	1	46741	10



NEW

SHOP

369 Ball End Hex Inch Mid-Length L-keys

Blade Chrome-V-Moly, hardened, black finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.	10 Pack Item No.	pkg.
36901	.050	2.82	.45	.002	1	46701	10
36902	1/16	3.05	.53	.004	1	46703	10
36903	5/64	3.27	.63	.007	1	46705	10
36905	3/32	3.43	.68	.010	1	46707	10
36906	7/64	3.62	.76	.016	1	46709	10
36907	1/8	3.84	.76	.021	1	46711	10
36909	9/64	4.08	.87	.029	1	46713	10
36910	5/32	4.36	.96	.035	1	46717	10
36923	3/16	4.67	1.08	.059	1	46719	10
36925	7/32	5.05	1.18	.092	1	46721	10
36926	1/4	5.73	1.25	.13	1	46723	10
36927	5/16	6.75	1.36	.22	1	46727	10
36929	3/8	7.0	1.50	.36	1	46731	10



NEW

SHOP

36999 9 Piece Metric Mid-Length Ball End Hex L-key Set

Blade Chrome-V-Moly, hardened, black finish.

Item No.	lbs.
36999 Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	.72



NEW

SHOP

36937 13 Piece Inch Mid-Length Ball End Hex L-key Set

Blade Chrome-V-Moly, hardened, black finish.

Item No.	lbs.
36937 13 pc. set includes: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	.82



SHOP

36900 2 Pack Inch & Metric Mid-Length Ball End Hex L-key Sets

Chrome-V-Moly, hardened, black finish.

Item No.	lbs.
36900 2 Sets with 22 L-keys include: Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1.54

Ball End Hex Keys Black Finish Short Arm



SHOP



For angle entry

36989 9 Pc. Short Arm Metric Ball End Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. .59	pkg. 1
----------	--------



Wiha MagicRing Screw Holding T-handle

Hole for hanging

Proportioned ergonomic handle designed for high torque

Screw Holding Hex Tools

Smooth edges prevent injuries & eliminate pressure marks

Handle is molded directly onto blade

Blade Wiha exclusive Chrome-V-Moly super tool steel, hardened, hard chrome finish

SHOP

540 MagicRing Hex Metric Ball End, With Wiha T-handle

Blade Chrome-V-Moly, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
54040	4.0	150	80	176	6.9	.08	10
54050	5.0	150	100	182	7.1	.14	10
54060	6.0	150	100	182	7.1	.17	10
54080	8.0	200	100	232	9.1	.29	10
54086	10.0	200	120	238	9.3	.49	10

SHOP

54090 5 Piece MagicRing Ball End T-handle Set, Metric Sizes

Blade Chrome-V-Moly, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item No.	mm	mm	mm	mm	lbs.	
54090	54040	4.0	150	54080	8.0 200	1.49
	54050	5.0	150	54086	10.0 200	
	54060	6.0	150			

SHOP

540 MagicRing Hex Inch Ball End, With Wiha T-handle

Blade Chrome-V-Moly, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item No.	Inch	Inch	Inch	Inch	lbs.	pkg.
54012	5/32	5.8	2.8	6.9	.08	10
54014	3/16	5.8	4.0	7.2	.14	10
54016	7/32	5.8	4.0	7.2	.16	10
54018	1/4	5.8	4.0	7.2	.19	10
54022	5/16	7.8	4.0	9.3	.29	10
54024	3/8	7.8	4.7	9.3	.45	10

SHOP

54091 6 Piece MagicRing Ball End T-handle Set, Inch Sizes

Blade Chrome-V-Moly, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item No.	Inch	Inch	Inch	Inch	lbs.	
54091	54012	5/32	5.8	54018	1/4 5.8	1.59
	54014	3/16	5.8	54022	5/16 7.8	
	54016	7/32	5.8	54024	3/8 7.8	

Wiha Soft Grip Dual Drive T-handle



Two Tools In One!


Through the handle side torque drive

Ball & Standard Hex In One Powerful Tool

Two component soft grip handle

Wiha exclusive Chrome-V-Moly super tool steel, through hardened durability, hard chrome finish

Maximum Comfort & Maximum Power



Hard Chrome Finish

For angle entry

- Chrome-V-Moly, hardened, hard chrome finish
- Ball tip for speed & easy insertion
- Wiha soft grip are molded on and include through the handle side torque drive.

SHOP

540 Soft Grip Ball End Hex Metric Dual Drive T-handle

Item No.	mm	mm	Tip	lbs.	pkg.
54020	2.0	150	Ball	.06	10
54025	2.5	150	Ball	.06	10
54030	3.0	150	Ball	.07	10
54042	4.0	150	Ball	.09	10
54052	5.0	150	Ball	.18	10
54062	6.0	150	Ball	.21	10
54082	8.0	200	Ball	.35	10
54088	10.0	200	Ball	.55	10


54095 8 Pc. Ball End Hex Metric Soft Grip T-handle Set- No stand

Item No.	mm	mm	mm	mm	lbs.		
54095	54020	2.0	150	54052	5.0	150	1.90
	54025	2.5	150	54062	6.0	150	
	54030	3.0	150	54082	8.0	200	
	54042	4.0	150	54088	10.0	200	

SHOP

54092 8 Piece Ball End Hex Metric Soft Grip T-handle Set


Blade Chrome-V-Moly, hardened, chrome finish. Wiha soft grips are molded on with through the handle side torque drive.



In metal stand

Item No.	mm	mm	lbs.	
54092	54020	2.0	150	3.34
	54025	2.5	150	
	54030	3.0	150	
	54042	4.0	150	
	54052	5.0	150	
	54062	6.0	150	
	54082	8.0	200	
	54088	10.0	200	

SHOP



Hard Chrome Finish

For angle entry

SHOP

540 Soft Grip Ball End Hex Inch Dual Drive T-handle Chrome-V-Moly, hardened, hard chrome finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	Tip	lbs.	pkg.
54007	3/32	5.9	Ball	.06	10
54008	7/64	5.9	Ball	.07	10
54009	1/8	5.9	Ball	.08	10
54010	9/64	5.9	Ball	.08	10
54001	5/32	5.9	Ball	.09	10
54002	3/16	5.9	Ball	.17	10
54003	7/32	5.9	Ball	.20	10
54004	1/4	5.9	Ball	.23	10
54005	5/16	7.9	Ball	.35	10
54006	3/8	7.9	Ball	.51	10

54097 10 Pc. Ball End Hex Inch Soft Grip T-handle Set- No stand

Item No.	Inch	Inch	Inch	Inch	lbs.		
54097	54007	3/32	5.9	54002	3/16	5.9	2.15
	54008	7/64	5.9	54003	7/32	5.9	
	54009	1/8	5.9	54004	1/4	5.9	
	54010	9/64	5.9	54005	5/16	7.9	
	54001	5/32	5.9	54006	3/8	7.9	

SHOP



In metal stand

#54094

SHOP

54094 8 Piece Ball End Hex Inch Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, chrome finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	Inch	Inch	lbs.		
54094	54009	1/8	5.9	54003	7/32	5.9	3.37
	54010	9/64	5.9	54004	1/4	5.9	
	54001	5/32	5.9	54005	5/16	5.9	
	54002	3/16	5.9	54006	3/8	7.9	

Soft Grip Dual Drive T-handle - Black Finish



[SHOP](#)

334 Soft Grip Ball End Hex Metric Dual Drive T-handle Chrome-V-Moly, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grip are molded on with through the handle side torque drive.

Item No.	mm	mm	lbs.	pkg.
33442*	2.0	150	.06	10
33444*	2.5	150	.06	10
33446*	3.0	150	.07	10
33448	4.0	150	.09	10
33450	5.0	150	.18	10
33452	6.0	150	.21	10
33454	8.0	200	.35	10
33458	10.0	200	.55	10

*No Ball - Standard Hex



[SHOP](#)

33496 8 Pc. Ball End Hex Metric Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, black finish. Wiha soft grip are molded on with through the handle side torque drive.

Item No.	mm	mm	mm	mm	lbs.	
33496	33442*	2.0	150	33450	5.0 150	2.04
	33444*	2.5	150	33452	6.0 150	
	33446*	3.0	150	33454	8.0 200	
	33448	4.0	150	33458	10.0 200	

*No Ball - Standard Hex

33489 8 Piece Hex & Ball End Hex Metric Soft Grip T-handle Set


Blade Chrome-V-Moly, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	mm	mm	lbs.	
33489	33442*	2.0	150	3.33
	33444*	2.5	150	
	33446*	3.0	150	
	33448	4.0	150	
	33450	5.0	150	
	33452	6.0	150	
	33454	8.0	200	
	33458	10.0	200	

[SHOP](#)

In metal stand

*No Ball - Standard Hex



[SHOP](#)

334 Soft Grip Ball End Hex Inch Dual Drive T-handle Chrome-V-Moly, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	lbs.	pkg.
33418*	5/64	5.9	.06	10
33420*	3/32	5.9	.06	10
33422*	7/64	5.9	.07	10
33424*	1/8	5.9	.08	10
33426*	9/64	5.9	.08	10
33428	5/32	5.9	.09	10
33430	3/16	5.9	.17	10
33432	7/32	5.9	.20	10
33433	1/4	5.9	.23	10
33439	5/16	7.9	.35	10
33440	3/8	7.9	.51	10

*No Ball - Standard Hex

33494 11 Pc. Ball End Hex Inch Soft Grip Dual Drive T-handle Set

Item No.	Inch	Inch	Inch	Inch	lbs.	
33494	33418*	5/64	5.9	33430	3/16 5.9	2.39
	33420*	3/32	5.9	33432	7/32 5.9	
	33422*	7/64	5.9	33433	1/4 5.9	
	33424*	1/8	5.9	33439	5/16 7.9	
	33426*	9/64	5.9	33440	3/8 7.9	
	33428	5/32	5.9			

[SHOP](#)

*No Ball - Standard Hex

33498 8 Piece Ball End Hex Inch Soft Grip T-handle Set

Item No.	Inch	Inch	Inch	Inch	lbs.	
33498	33424*	1/8	5.9	33432	7/32 5.9	2.15
	33426*	9/64	5.9	33433	1/4 5.9	
	33428	5/32	5.9	33439	5/16 7.9	
	33430	3/16	5.9	33440	3/8 7.9	

[SHOP](#)

*No Ball - Standard Hex

33499 8 Piece Hex & Ball End Hex Inch Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	lbs.	
33499	33424*	1/8	5.9	3.46
	33426*	9/64	5.9	
	33428	5/32	5.9	
	33430	3/16	5.9	
	33432	7/32	5.9	
	33433	1/4	5.9	
	33439	5/16	7.9	
	33440	3/8	7.9	

[SHOP](#)

In metal stand

*No Ball - Standard Hex

Wiha T-handle Hex Tools

Ergonomic handle design for high torque



Hole for hanging

Handle is molded directly onto blade


Smooth edges prevent injuries & eliminate pressure marks

Blade Wiha exclusive Chrome-V-Moly super tool steel hardened, nickel-plated



 Yellow = Inch
 Red = Metric

334 Hex Inch & Metric Drivers, With Wiha T-handle Chamfered tip for easy insertion. Wiha-T-handle high quality plastic, impact resistant.

Item No.	Inch	Inch	Inch	Inch	lbs.	pkg.	
33453	3/32	6.0	2.8	7.0	.05	10	
33456	7/64	6.0	2.8	7.0	.05	10	
33459	1/8	6.0	2.8	7.0	.06	10	
33462	9/64	6.0	2.8	7.0	.07	10	
33465	5/32	6.0	2.8	7.0	.08	10	
33468	3/16	6.0	3.5	7.0	.13	10	
33471	7/32	6.0	3.5	7.0	.16	10	
33474	1/4	6.0	3.5	7.0	.18	10	
33477	5/16	6.0	3.5	7.0	.25	10	
33480	3/8	6.0	4.1	7.0	.39	10	
Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
33401	2.0	100	80	126	4.9	.05	10
33436	2.0	200	80	226	8.9	.05	10
33402	2.5	100	80	126	4.9	.05	10
33437	2.5	200	80	226	8.9	.08	10
33403	3.0	100	80	126	4.9	.05	10
33404	3.0	150	80	176	6.9	.08	10
33405	3.0	200	80	226	8.9	.09	10
33435	3.0	350	100	382	15.0	.22	10
33406	4.0	100	80	126	4.9	.07	10
33407	4.0	150	80	176	6.9	.10	10
33408	4.0	200	80	226	8.9	.09	10
33438	4.0	350	100	382	15.0	.26	10
33409	5.0	100	100	132	5.2	.13	10
33410	5.0	150	100	182	7.1	.17	10
33411	5.0	200	100	232	9.1	.16	10
33412	5.0	350	100	382	15.0	.26	10
33413	5.0	450	120	488	19.1	.53	10
33414	6.0	100	100	132	5.2	.14	10
33415	6.0	150	100	182	7.1	.18	10
33416	6.0	200	100	232	9.1	.20	10
33417	6.0	350	100	382	15.0	.32	10
33419	7.0	200	100	232	9.1	.22	10
33421	8.0	100	100	132	5.2	.20	10
33423	8.0	200	100	232	9.1	.29	10
33434	8.0	350	100	372	14.6	.48	10
33425	10.0	100	120	138	5.4	.34	10
33427	10.0	200	120	238	9.3	.49	10
33429	12.0	200	120	238	9.3	.58	10





33492 10 Piece Hex Driver T-handle Set, Inch Sizes

Item No.	Inch	Inch	Inch	Inch	lbs.		
33492	33453	3/32	6.0	33468	3/16	6.0	1.74
	33456	7/64	6.0	33471	7/32	6.0	
	33459	1/8	6.0	33474	1/4	6.0	
	33462	9/64	6.0	33477	5/16	6.0	
	33465	5/32	6.0	33480	3/8	6.0	





33493 8 Piece Hex Driver T-handle Set, Metric Sizes

Item No.	mm	mm	mm	mm	lbs.		
33493	33401	2.0	100	33409	5.0	100	1.64
	33402	2.5	100	33416	6.0	200	
	33403	3.0	100	33423	8.0	200	
	33406	4.0	100	33427	10.0	200	



#33484

#33488



33484 8 Pc. Hex Driver T-handle Set, Inch Sizes - In metal stand

Item No.	Inch	Inch	Inch	Inch	lbs.		
33484	33459	1/8	6.0	33471	7/32	6.0	3.07
	33462	9/64	6.0	33474	1/4	6.0	
	33465	5/32	6.0	33477	5/16	6.0	
	33468	3/16	6.0	33480	3/8	6.0	

33488 8 Pc. Hex Driver T-handle Set, Metric Sizes - In metal stand

Item No.	mm	mm	mm	mm	lbs.		
33488	33401	2.0	100	33410	5.0	150	3.07
	33402	2.5	100	33415	6.0	150	
	33403	3.0	100	33423	8.0	200	
	33406	4.0	100	33427	10.0	200	





Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools




367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish® Handle

Hex blade, Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch	Inch	mm	mm	lbs.	pkg.
36710*	.050	3.1	80	179	.06	10
36713*	1/16	3.1	80	204	.06	10
36716*	5/64	3.9	100	204	.07	10
36719*	3/32	3.9	100	204	.07	10
36723*	7/64	3.9	100	211	.07	10
With MagicRing						
36726	1/8	3.9	100	243	.12	10
36728	9/64	3.9	100	243	.12	10
36732	5/32	5.0	125	271	.12	10
36734	3/16	6.0	150	271	.16	10
36736	7/32	6.0	150	271	.23	10
36738	1/4	6.0	150	271	.25	10
36742	5/16	8.0	200	271	.37	10
36744	3/8	8.0	200	271	.54	10

* Standard Ball - No Ring



36793 8 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch	Inch	Inch	Inch	lbs.
36793	36726	1/8	4.0	36736	2.25
	36728	9/64	4.0	36738	
	36732	5/32	5.0	36742	
	36734	3/16	6.0	36744	

Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



36791 13 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch	Inch	Inch	Inch	lbs.
36791	36710*	.050	3.0	36732	2.58
	36713*	1/16	3.0	36734	
	36716*	5/64	4.0	36736	
	36719*	3/32	4.0	36738	
	36723*	7/64	4.0	36742	
	36726	1/8	4.0	36744	
	36728	9/64	4.0		

* Standard Ball - No Ring



36794 6 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch	Inch	Inch	Inch	lbs.
36794	36726	1/8	4.0	36734	1.34
	36728	9/64	4.0	36736	
	36732	5/32	5.0	36738	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish®

Handle Hex blade, Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	lbs.	pkg.
36715*	1.5	75	179	.06	10
36720*	2.0	100	204	.07	10
36725*	2.5	100	204	.07	10
With MagicRing					
36730	3.0	100	204	.07	10
36740	4.0	125	211	.12	10
36750	5.0	150	243	.16	10
36760	6.0	150	243	.23	10
36780	8.0	200	268	.37	10
36786	10.0	200	271	.54	10

* Standard Ball - No Ring

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive Chrome-V-Moly hardened tool steel

36790 9 Piece MagicRing Metric Ball End Hex Screwdriver Set

Hex blade Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
36790	36715*	1.5	75	36750	5.0 150
	36720*	2.0	100	36760	6.0 150
	36725*	2.5	100	36780	8.0 200
	36730	3.0	100	36786	10.0 200
	36740	4.0	125		

* Standard Ball - No Ring




36792 6 Piece MagicRing Metric Ball End Hex Screwdriver Set

Hex blade Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
36792	36730	3.0	100	36760	6.0 150
	36740	4.0	125	36780	8.0 200
	36750	5.0	150	36786	10.0 200



Wiha Ball End 3K Series Drivers & Sets




Inch / Soft Grip



467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles


Blades Chrome-V-Moly, hardened, black finish. Ergo soft grip handles.

Item No.	Inch	Inch	Inch	lbs.	pkg.
46702	.050	2.9	6.3	.07	10
46704	1/16	2.9	6.3	.07	10
46706	5/64	3.9	7.3	.07	10
46708	3/32	3.9	7.3	.07	10
46710	7/64	3.9	7.3	.07	10
46712	1/8	3.9	7.7	.09	10
46714	9/64	3.9	7.7	.10	10
46716	5/32	3.9	7.7	.11	10
46718	3/16	3.9	7.7	.12	10
46722	7/32	5.9	10.0	.19	10
46724	1/4	5.9	10.0	.22	10
46726	5/16	7.9	12.0	.34	10
46728	3/8	7.9	12.5	.48	10




46794 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set

Item No.	Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	lbs. .97
46794		



46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	lbs. 1.19
46793		




46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Blades Chrome-V-Moly, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	lbs. 2.40
46797		

Yellow = Inch

Red = Metric



- Soft panel grip
- Fast angle entry
- Convenient hang hole
- Exact fit precision machined tips
- Wiha exclusive Chrome-V-Moly super tool steel



Metric / Soft Grip



467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades Chrome-V-Moly, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item No.	mm	mm	mm	lbs.	pkg.
46715	1.5	75	161	.07	10
46720	2.0	100	186	.07	10
46725	2.5	100	186	.07	10
46730	3.0	100	186	.07	10
46740	4.0	100	197	.11	10
46750	5.0	100	197	.13	10
46760	6.0	150	257	.21	10
46780	8.0	200	307	.34	10
46786	10.0	200	319	.52	10



46796 7 Piece Metric Ball End Hex Screwdriver Set

Blades Chrome-V-Moly, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	lbs. 1.15
46796		



46799 9 Piece Metric Ball End Hex Screwdriver Set

Blades Chrome-V-Moly, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	lbs. 1.93
46799		

Wiha PocketStar Fold-Ups




Screw Holding




Push button key release

SHOP

36997 9 Piece MagicRing Inch PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.

Item No. 36997	
Inch PocketStar: 5/64*, 3/32*, 7/64*	lbs.
1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.46

* Standard Ball - No Ring




Screw Holding




Push button key release

SHOP

36996 7 Piece MagicRing Metric PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.

Item No. 36996	
PocketStar	lbs.
Metric: 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm	.50

* Standard Ball - No Ring




Screw Holding




Push button key release

SHOP

66997 2 Pack MagicRing PocketStar Fold Outs Inch & Metric
High alloy CVM steel, hardened, molded ergonomic handle.

Item No. 66997	
Fold Outs Inch/Metric Includes:	lbs. .98
36996 - 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm	
36997 - 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	


* Standard Ball - No Ring





#35195 #35196

SHOP

35195 7 Piece Metric Hex PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.

Item No. 35195	
PocketStar	lbs.
Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	.51

35196 7 Piece Metric Hex PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.


Item No. 35196	
PocketStar	lbs.
Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	.31






Push button key release

SHOP

35197 9 Piece Inch Hex PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.


Item No. 35197	
Inch PocketStar:	lbs.
5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.47

Push button key release

SHOP

35198 6 Pc. Slotted, Phillips & Hex Metric PocketStar Fold Outs
High alloy CVM steel, hardened, molded ergonomic handle.

Item No. 35198	
PocketStar	lbs.
Slotted: 5.5mm Phillips: #2	
Metric: 3.0, 4.0, 5.0, 6.0mm	.35

Nickel-Plated Long Arm Hex L-keys



Nickel-Plated

• Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

352 Inch							
Inch & Metric Hex L-keys, Long Arm SHOP							
Item No.	Inch	mm	Inch	lbs.	lbs.	pkg.	
35231	.050	75	3.0	.01		10	
35233	1/16	78	3.1	.01		10	
35235	5/64	82	3.2	.01		10	
35237	3/32	85	3.3	.01		10	
35239	7/64	92	3.6	.01		10	
35241	1/8	95	3.7	.02		10	
35243	9/64	100	3.9	.03		10	
35251	5/32	105	4.1	.03		10	
35252	3/16	113	4.4	.05		10	
35253	7/32	122	4.8	.07		10	
35254	1/4	135	5.3	.10		10	
35255	5/16	152	6.0	.18		10	
35256	3/8	173	6.8	.30		10	
35257	1/2	209	8.2	.77		1	
35258	9/16	230	9.1	1.04		1	
35259	5/8	245	9.6	1.27		1	
35261	3/4	286	11.3	2.01		1	

352 Metric							
Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
35201	1.5	89	3.5	14	.6	.01	10
35202	2.0	99	3.9	16	.6	.01	10
35204	2.5	110	4.3	18	.7	.02	10
35206	3.0	124	4.9	20	.8	.02	10
35208	4.0	138	5.4	25	1.0	.04	10
35210	5.0	158	6.2	28	1.1	.07	10
35211	6.0	178	7.0	32	1.3	.12	10
35212	7.0	187	7.4	34	1.3	.17	10
35214	8.0	196	7.7	36	1.4	.23	10
35217	10.0	219	8.6	40	1.6	.40	10
35219	12.0	245	9.6	45	1.8	.77	1
35221	14.0	277	10.9	56	2.2	1.12	1
35223	17.0	316	12.4	63	2.5	1.80	1
35227	19.0	355	14.0	70	2.8	2.46	1



[SHOP](#)

35295 13 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Item No.	lbs.	pkg.
35295	.90	1




[SHOP](#)

35297 9 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Item No.	lbs.	pkg.
35297	1.00	1

Black Finish Long Arm Hex L-keys



Black Finish

High alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

352 Inch							
L-key Hex, Long Arm SHOP							
Item No.	Inch	mm	Inch	lbs.	lbs.	pkg.	
35200	.028	67	2.6	.01		10	
35203	.035	69	2.7	.01		10	
35213	.050	75	3.0	.01		10	
35216	1/16	78	3.1	.01		10	
35218	5/64	82	3.2	.01		10	
35222	3/32	85	3.3	.01		10	
35224	7/64	92	3.6	.02		10	
35226	1/8	95	3.7	.02		10	
35228	9/64	100	3.9	.03		10	
35232	5/32	105	4.1	.04		10	
35234	3/16	113	4.4	.05		10	
35236	7/32	122	4.8	.07		10	
35238	1/4	135	5.3	.10		10	
35242	5/16	152	6.0	.18		10	
35244	3/8	173	6.8	.30		10	
35245	1/2	209	8.2	.75		1	
35246	9/16	230	9.1	.99		1	
35247	5/8	245	9.6	1.26		1	
35248	3/4	286	11.3	2.02		1	
35249	1"	359	14.1	4.38		1	

352 Metric							
Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
35200	0.7	66	2.6	5	.2	.01	10
35203	0.9	68	2.7	8	.3	.01	10
35205	1.3	72	2.8	12	.5	.01	10
35215	1.5	76	3.5	14	.6	.01	10
35220	2.0	99	3.9	16	.6	.01	10
35225	2.5	110	4.3	18	.7	.02	10
35230	3.0	124	4.9	20	.8	.02	10
35240	4.0	138	5.4	25	1.0	.04	10
35250	5.0	158	6.2	28	1.1	.07	10
35260	6.0	178	7.0	32	1.3	.12	10
35270	7.0	187	7.4	34	1.3	.18	10
35280	8.0	196	7.7	36	1.4	.24	10
35282	10.0	219	8.6	40	1.6	.40	10
35284	12.0	245	9.6	45	1.8	.77	1
35285	14.0	277	10.9	56	2.2	1.13	1
35286	17.0	316	12.4	63	2.5	1.80	1
35288	19.0	355	14.0	70	2.8	2.45	1



#35291

Black Finish

#35290

35291 13 Piece Inch Hex L-key Set, In Plastic Holder

.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Item No.	lbs.	pkg.
35291	.98	1

[SHOP](#)


35290 9 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Item No.	lbs.	pkg.
35290	.97	1

[SHOP](#)

Short Arm Hex L-keys Nickel Finish




Nickel-Plated



• Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

351 Metric L-key Hex Metric, Short Arm high alloy CVM steel, hardened, nickel plated. Precision machined, burr free chamfered ends.

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
35104	1.5	46	1.8	14	.6	.01	10
35108	2.0	51	1.9	16	.6	.01	10
35112	2.5	57	2.2	18	.7	.01	10
35116	3.0	64	2.5	25	.8	.02	10
35120	4.0	72	2.8	25	1.0	.03	10
35124	5.0	83	3.2	28	1.1	.04	10
35128	6.0	94	3.7	32	1.3	.07	10
35132	7.0	99	3.9	34	1.3	.10	10
35136	8.0	105	4.1	36	1.4	.13	10
35140	9.0	112	4.4	38	1.5	.18	10
35144	10.0	119	4.7	40	1.6	.23	10
35145	12.0	134	5.2	45	1.8	.40	1
35175	14.0	151	5.9	55	2.2	.61	1
35177	17.0	173	6.8	60	2.5	1.02	1
35179	19.0	195	7.6	70	2.8	1.40	1



Nickel-Plated



• Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

351 Inch L-key Hex, Short Arm Nickel-plated

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
35143	.050	40	1.6	10	.39	.01	10
35146	1/16	46	1.8	14	.55	.01	10
35147	5/64	50	2.0	16	.63	.01	10
35150	3/32	52	2.1	19	.75	.01	10
35152	7/64	54	2.1	19	.75	.01	10
35153	1/8	58	2.3	21	.83	.02	10
35155	9/64	62	2.4	23	.91	.02	10
35156	5/32	68	2.7	25	.99	.02	10
35159	3/16	70	2.8	26	1.0	.04	10
35162	7/32	77	3.1	29	1.2	.05	10
35165	1/4	88	3.5	31	1.2	.08	10
35168	5/16	98	3.9	36	1.4	.13	10
35171	3/8	107	4.2	38	1.5	.20	10
35174	1/2	147	5.8	44	1.7	.46	1
35176	9/16	158	6.2	64	2.5	.64	1
35178	5/8	175	6.9	71	2.8	.85	1
35180	3/4	198	7.8	89	3.5	1.40	1



35191 9 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. .59 pkg. 1



35193 6 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm

lbs. .20 pkg. 1



35192 8 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"

lbs. .41 pkg. 1



35194 13 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with .050 - 3/8"

lbs. .72 pkg. 1



Short Arm Hex L-keys Black Finish



Black Finish



353 Metric L-key Hex Metric, Short Arm high alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
35301	0.7	31	1.2	-	-	.01	10
35302	0.9	31	1.2	-	-	.01	10
35303	1.3	40	1.6	12	.5	.01	10
35304	1.5	45	1.8	14	.6	.01	10
35305	2.0	49	1.9	16	.6	.01	10
35306	2.5	55	2.2	18	.7	.01	10
35307	3.0	61	2.4	20	.8	.02	10
35308	4.0	68	2.7	25	1.0	.03	10
35309	5.0	78	3.1	28	1.1	.04	10
35310	6.0	88	3.5	32	1.3	.07	10
35311	7.0	92	3.6	34	1.3	.10	10
35312	8.0	97	3.8	36	1.4	.13	10
35313	9.0	103	4.1	38	1.5	.17	10
35314	10.0	109	4.3	40	1.6	.23	10
35316	11.0	115	4.5	42	1.7	.29	10
35317	12.0	122	4.8	45	1.8	.40	1
35318	14.0	137	5.4	56	2.2	.61	1
35319	17.0	156	6.1	63	2.5	1.03	1
35320	19.0	176	6.9	70	2.8	1.40	1
35321	22.0	195	7.7	80	3.1	2.17	1



Black Finish



353 Inch L-key Hex Inch, Short Arm black finish


Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
35301	.028	31	1.2	-	-	.01	10
35302	.035	31	1.2	-	-	.01	10
35330	.050	40	1.6	10	.4	.01	10
35331	1/16	46	1.8	14	.6	.01	10
35332	5/64	50	2.0	16	.6	.01	10
35333	3/32	52	2.1	19	.8	.01	10
35334	7/64	54	2.1	19	.8	.01	10
35335	1/8	58	2.3	21	.8	.02	10
35336	9/64	62	2.4	23	.9	.02	10
35337	5/32	68	2.7	25	1.0	.02	10
35338	3/16	70	2.8	26	1.0	.05	10
35339	7/32	77	3.1	29	1.2	.07	10
35340	1/4	88	3.5	31	1.2	.07	10
35341	5/16	98	3.9	36	1.4	.13	10
35342	3/8	107	4.2	38	1.5	.20	10
35343	1/2	133	5.2	44	1.7	.49	1
35345	9/16	158	6.2	64	2.5	.66	1
35346	5/8	175	6.9	71	2.8	.86	1
35347	3/4	198	7.8	89	3.5	1.45	1
35348	1"	220	8.7	91	3.6	3.14	1



35390 9 Piece Metric Hex L-key Set, In Plastic Holder

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. .59 pkg. 1



35392 5 Piece Mini Metric Hex L-key Set, In Plastic Holder

Equipped with 0.7, 0.9, 1.3, 1.5, 2.0mm


lbs. .03 pkg. 1



35391 13 Piece Inch Hex L-key Set, In Plastic Holder

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

lbs. .64 pkg. 1



35393 5 Piece Mini Inch Hex L-key Set, In Plastic Holder

Equipped with .028, .035, .050, 1/16, 5/64"

lbs. .03 pkg. 1

Wiha Insulated T-handles

Insulation Test Standards:

Insulation according to EN/IEC 60900, ASTM F-1505-10, VDE 0682/part 201, DIN 7437, NFPA70E, CSA

Responds to OSHA's use specification 29 CFR1910

Insulation

Molded directly onto blade for permanent bonding

Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc

Blade CVM tool steel, hardened to average 58/60RC

 **1000V**









 **1000Volt**

[SHOP](#)

334 Inch T-handle, With Wiha-Molded Handle Insulation According to ASTM F-1505-10, New VDE Specification 0682/part 201, EN/IEC 60900, NFPA70E and CSA,  up to 1000 Volt. Individually Tested.

Blade CVM steel, hardened. Insulation molded directly onto blade.

Wiha-SoftFinish® handle, multi-component.

Item						
No.	Inch	Inch	Inch	mm	lbs.	pkg.
33481	5/32	5.9	6.9	176	.09	10
33482	3/16	5.9	6.9	176	.15	10
33483	7/32	5.9	6.9	176	.19	10
33485	1/4	6.9	6.9	176	.20	10
33486	5/16	6.9	6.9	176	.26	10
33487	3/8	6.9	6.9	176	.44	10



 **1000Volt**

33490 6 Piece Hex Inch T-handle Set


Item							
No.	Hex Inch:						
33490	5/32, 3/16, 7/32, 1/4, 5/16, 3/8"						1.66







[SHOP](#)



 **1000Volt**

[SHOP](#)

334 Metric T-handle, With Wiha-Molded Handle. Insulation According to ASTM, VDE, EN/IEC, NFPA70E and CSA,  up to 1000 Volt. Individually Tested.

Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
33441	4.0	150	5.9	176	6.9	.09	10
33443	5.0	150	5.9	176	6.9	.15	10
33445	6.0	150	5.9	176	6.9	.18	10
33447	8.0	150	5.9	176	6.9	.26	10
33449	10.0	150	5.9	176	6.9	.46	10



 **1000Volt**

[SHOP](#)

33478 5 Piece Hex Metric T-handle Set


Item							
No.	Hex Metric:						
33478	4.0, 5.0, 6.0, 8.0, 10.0mm						1.20

Wiha Insulated Hex Metric Screwdrivers









 **1000Volt**

[SHOP](#)

323 Hex Metric Screwdriver, With Wiha-SoftFinish® Handle Insulation According to ASTM F-1505-10, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA,  up to 1000 Volt. Individually Tested. Blade high alloy CVM steel, hardened, black finish. Insulation molded directly onto blade.

Wiha-SoftFinish® handle, multi-component, cushion grip.



Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
32302	2.5	75	3.0	179	7.0	.06	10
32303	3.0	75	3.0	179	7.0	.08	10
32304	4.0	75	3.0	186	7.3	.12	10
32305	5.0	75	3.0	186	7.3	.15	10
32306	6.0	100	3.9	218	8.6	.21	10
32308	8.0	100	3.9	218	8.6	.34	10



 **1000Volt**

[SHOP](#)

32366 6 Piece Insulated Hex Metric Screwdriver Set

Item No.	32366		
Hex Metric:	2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	lbs. 1.06	



Wiha Insulated Hex L-keys

Insulation Test Standards:
Insulation according to ASTM F-1505-10, EN/IEC 60900 and CSA



Insulation
Applied directly onto blade for permanent bonding

1000V

Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc



1000V

SHOP

136 Inch Insulated Hex L-keys, With Insulated Handle

Insulation According to IEC 60900 specification, up to 1000 Volt. Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	ØMM	OAL	OAL	↔	⊞
No.	Inch	mm	Inch	lbs.	pkg.
13670	1/16	79	3.1	.05	1
13671	5/64	84	3.3	.05	1
13672	3/32	89	3.5	.05	1
13673	7/64	94	3.7	.06	1
13663	1/8	104	4.1	.06	1
13665	5/32	104	4.1	.06	1
13666	3/16	134	5.3	.10	1
13667	7/32	134	5.3	.12	1
13668	1/4	134	5.3	.16	1
13669	5/16	144	5.7	.24	1
13662	3/8	234	9.2	.51	1
13664	1/2	234	9.2	.77	1




1000V

SHOP

136 Metric Insulated Hex L-keys, With Insulated Handle

Insulation According to IEC 60900 specification, up to 1000 Volt. Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	ØMM	OAL	OAL	↔	⊞
No.	mm	mm	Inch	lbs.	pkg.
13650	1.5	100	3.9	.09	1
13651	2.0	105	4.1	.09	1
13652	2.5	115	4.5	.09	1
13653	3.0	130	5.1	.10	1
13654	4.0	120	4.7	.10	1
13655	5.0	140	5.5	.10	1
13656	6.0	140	5.5	.13	1
13658	8.0	150	5.9	.24	1
13659	10.0	220	8.7	.51	1
13657	12.0	260	10.2	.77	1



#13691

#13690

1000V

SHOP

13690 8 Piece Insulated Hex L-key Set - Inch

Item No.	↔	⊞
13690	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2"	lbs. 2.17

13691 7 Piece Insulated Hex L-key Set - Metric

Item No.	↔	⊞
13691	3.0, 4.0, 5.0, 6.0, 8.0, 10.0, 12.0mm	lbs. 2.07



1000V



SHOP

13693 10 Piece Insulated Hex L-key Set - Metric

Item No.	↔	⊞
13693	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0, 12.0mm	lbs. 2.26

13694 12 Piece Insulated Hex L-key Set - Inch

Item No.	↔	⊞
13694	1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2"	lbs. 2.40

Wiha Insulated 3/8" Bit Sockets & Set



1000V

SHOP

318 Insulated 3/8" Drive Sockets - Insulation according to EN/IEC 60900, DIN 7448 specification, up to 1000 Volt.

Individually Tested. Chrome-vanadium steel, forged, oil-hardened.

Item No.	↔	⊞		
No.	Inch	OAL	lbs.	pkg.
31805	3/16	3.1"	.13	1
31807	7/32	3.1"	.14	1
31809	1/4	3.1"	.14	1
31811	5/16	3.1"	.16	1
31813	3/8	3.1"	.18	1
31815	7/16	3.1"	.20	1
31817	1/2	3.1"	.22	1

*Sockets must be used with insulated ratchets & extensions



1000V

SHOP

31890 7 Piece Insulated 3/8" Drive Socket Set - Inch

CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No.	↔	⊞
31890	Set includes the following:	
	↔ lbs. 1.7	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2"

Wiha Drive-Loc VI Handles



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments



28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages: Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments



28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages: Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments



28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.

Advantages: Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments



10810 Drive-Loc VI Standard Narrow Profile Tech Handle

Dynamic non-locking, impact resistant, friction hold.

Fits all Drive-Loc blades. Does not have locking feature.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
10810	6.0	135	5.3	15.2	.60	.16



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments



28105 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, friction hold.

Advantages: Static Dissipative, ideal for use on static sensitive electronic components and equipment. Fits all Drive-Loc blades

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28105	6.0	122	4.8	36.0	1.41	.22

Wiha Drive-Loc VI Blades



281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade

Blade High alloy CVM steel, through hardened, hard chrome finish. Ball end enables the user to work at angles up to 25°. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + mm	lbs.	pkg.	
28116	2.5 2.5	.10	1	
28117	3 3	.10	1	
28118	4 4	.10	1	
28119	5 5	.10	1	
28120	6 6	.10	1	



281 Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + mm	lbs.	pkg.	
28149	2.0 2.5	.09	1	
28150	3.0 4.0	.10	1	
28151	5.0 6.0	.10	1	



281 Hex Inch Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Inch + Inch	lbs.	pkg.	
28122	3/32 7/64	.10	1	
28123	1/8 9/64	.10	1	
28124	5/32 3/16	.10	1	



28189 15 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No. 28189 lbs. 1.40
Slotted: 3.5+4.5, 5.5+6.5 **Phillips:** 1+2 **Security TORX®:** T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s **Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16 **Hex Metric:** 2.0+2.5, 3.0+4.0, 5.0+6.0mm
 Wiha SoftFinish® Cushion Grip Blade Lock Handle

Insulated TorqueControl Tools

Includes Certificate



⚡ 1000Volt



Includes SlimLine blade holder

287 Insulated TorqueVario-S, With Window Scale Insulation
 ⚡ up to 1000 Volt. EN/IEC 60900 EN ISO 6798, BS EN 26789, ASME B107.14M & CSA, +/- 6% Accuracy. Ergonomic multi-component handle, light & compact. Handle sizes proportioned to optimize torque range. Audible & perceptible click when torque setting has been attained.

Item No.	Range	Inch lbs.	Increments	mm	lbs.	pkg.
28724	7.5 - 20	.5 Inch lbs	126 - 131	.43	1	
28726	10 - 50	2 Inch lbs	133 - 138	.40	1	
28727	20 - 70	2 Inch lbs	137 - 142	.69	1	

287 Insulated TorqueVario-S Handle - In Newton Meter Scale

Item No.	Range	Nm	mm	lbs.	pkg.
28734	0.6 - 2.0	131	.45	1	
28736	1.0 - 5.0	138	.45	1	
28737	2.0 - 8.0	142	.72	1	

Each TorqueVario handle has unique serial number & certificate of calibration



283 Insulated Hex Metric SlimLine Blades SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.

Item No.	Size	Slim Dia.	Max Nm	Inch/ lbs.	lbs.	Pkg.
28332	1.5	4.0	0.9	7.9	.02	1
28333	2.0	4.0	1.8	15.9	.02	1
28334	2.5	4.0	3.8	33.6	.02	1
28335	3.0	4.0	5.5	48.7	.02	1
28336	4.0	6.0	5.5	48.7	.02	1
28337	5.0	6.0	5.5	48.7	.02	1
28338	6.0	6.0	5.5	48.7	.02	1

TorqueControl Tools



+/-6% accuracy tolerance
 Certificate of calibration



285 TorqueFix, With Wiha-SoftFinish® Handle

Fixed Torque value pre-set. Tested in accordance with EN ISO 6798, BS EN 26789, ASME B107.14M, tolerance +/- 6%.

Item No.	Pre-Sets	oz.	lbs.	Nm	mm	Inch	lbs.	pkg.
28503	80	5	0.56	112	4.4	.16	1	
28505	120	7.5	0.84	112	4.4	.15	1	
28507	160	10	1.12	119	4.7	.28	1	
28509	200	12.5	1.41	119	4.7	.27	1	
28511	240	15	1.69	119	4.7	.27	1	
28513	320	20	2.25	119	4.7	.28	1	
28515	400	25	2.82	126	4.9	.37	1	
28517	480	30	3.39	126	4.9	.37	1	
28518	560	35	3.95	126	4.9	.37	1	
28519	640	40	4.52	126	4.9	.37	1	
28521	800	50	5.65	132	5.2	.52	1	
28523	960	60	6.78	132	5.2	.52	1	
28525	1120	70	7.91	132	5.2	.52	1	

Direct Reading Scale



+/-6% accuracy tolerance
 Certificate of calibration



285 Adjustable TorqueVario With Direct Reading Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Range	Inch lbs.	Increments	mm	lbs.	pkg.
28501*	15 - 80(in/oz)	2.5 Inch oz	122 - 127	.22	1	
28502	5 - 10	.5 Inch lbs	122 - 127	.41	1	
28504	7.5 - 20	.5 Inch lbs	126 - 131	.50	1	
28506	10 - 50	2 Inch lbs	133 - 138	.59	1	
28508	20 - 70	2 Inch lbs	137 - 142	.74	1	

Above includes Micro Bit Holder 28583

See 4mm Micro Bits on Page 31

* +/- 10% (This unit only)

* (1 Nm = 8.8507)



+/-6% accuracy tolerance
 Certificate of calibration



285 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M.

Item No.	Newton Meter Scale	Increments	mm	lbs.	pkg.
28550*	0.1 - 0.6Nm	.02 Nm	122 - 127	.35	1
28551	0.4 - 1.0Nm	.05 Nm	122 - 127	.35	1
28552	0.8 - 2.0Nm	.05 Nm	126 - 131	.45	1
28553	1.0 - 5.0Nm	.20 Nm	133 - 138	.55	1
28554	2.0 - 8.0Nm	.25 Nm	137 - 142	.70	1

* +/- 10% (This unit only)

* (1 Nm 8.8507)



285 Hex Metric Interchangeable Blades For TorqueFix & TorqueVario

Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	mm	mm	lbs.	Max. Torque Nm	pkg.
28545	1.5	175	.07	0.9	1
28546	2.0	175	.07	1.8	1
28547	2.5	175	.07	3.8	1
28548	3.0	175	.07	8.0	1
28549	4.0	175	.07	8.0	1



285 Hex Inch Interchangeable Blades For TorqueFix & TorqueVario

Item No.	Inch	mm	lbs.	Max. Torque Nm	pkg.
28555	.050	175	.07	.4	1
28556	1/16	175	.07	.9	1
28557	5/64	175	.07	1.8	1
28558	3/32	175	.07	1.8	1
28559	7/64	175	.07	3.8	1
28560	1/8	175	.07	3.8	1
28587	9/64	175	.07	8.0	1
28588	5/32	175	.07	8.0	1

T-handle TorqueControl Tools



Includes Calibration Certificate



289 TorqueFix T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy
Ergonomic multi-component handle, light and compact.
With Certificate of calibration.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
28931	53.1	6	56 x 120	.81	1
28933	70.8	8	56 x 120	.82	1
28935	88.5	10	56 x 120	.79	1
28937	106.2	12	56 x 120	.79	1
28938	110.6	12.5	56 x 120	.80	1
28939	123.9	14	56 x 120	.80	1

Each TorqueFix T-handle has unique serial number and certificate of calibration



Includes Calibration Certificate



28940 Adjustable TorqueVario STplus T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy
Ergonomic multi-component handle, light and compact.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
28940	44.3-123.9	5-14	56 x 120	.81	1

* (1 Nm 8.8507)



289 Hex Metric Interchangeable Blades For TorqueFix T-handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	mm	mm	Inch	lbs.	pkg.
28916	3.0	130	5.1	.11	1
28917	4.0	130	5.1	.11	1
28918	5.0	130	5.1	.11	1
28919	6.0	130	5.1	.11	1



289 Hex Inch Interchangeable Blades For TorqueFix T-handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Inch	mm	Inch	lbs.	pkg.
28920	1/8	130	5.1	.11	1
28921	9/64	130	5.1	.11	1
28922	5/32	130	5.1	.11	1
28923	3/16	130	5.1	.11	1
28924	7/32	130	5.1	.11	1

TorqueFix Key Wing Handles & Blades



EN ISO 6798, BS EN 26789, ASME B107.14M

+/- 6% Accuracy

Includes Calibration Certificate



Compact design specially used for hard to reach screws and confined spaces



283 TorqueFix Wing Handles

Audible & perceptible click when torque setting has been attained.

Item No.	Nm	mm	Inch	pkg.	lbs.
28349	0.5	68	2.7	1	.28
28351	0.6	68	2.7	1	.28
28352	0.9	68	2.7	1	.28
28353	1.1	68	2.7	1	.28
28354	1.2	68	2.7	1	.28
28355	1.4	68	2.7	1	.28
28356	2.0	68	2.7	1	.28
28357	2.5	68	2.7	1	.28
28358	3.0	68	2.7	1	.28
28359	3.8	68	2.7	1	.28
28360	4.0	68	2.7	1	.28



283 Hex Metric & Inch Blades For TorqueFix Wing Handles

CVM steel, through-hardened, titanium silver

Item No.	Size	Max Nm	Inch	mm	pkg.	lbs.
28361	1.5	0.9	3.0	75	1	.03
28362	2.0	1.8	3.0	75	1	.03
28363	2.5	3.8	3.0	75	1	.03
28364	3.0	5.5	3.0	75	1	.03
28365	4.0	8.0	3.0	75	1	.03





Wiha Precision ESD Safe Hex Drivers

Wiha Precision ESD Static Dissipative Screwdrivers meet the requirements for tools used in static sensitive areas.



Rotating cap for precise turning & control with fingertip

Molded Precision handle of impact resistant dissipative material

Tapered handle allows rapid rotation

Blade, CVM steel, hardened, hard chrome finish

Tip, precision ground for exact fit, Wiha Chromtop finish

ESD Standard IEC 61340-5-1

Surface resistance of handles is $10^6 - 10^9$ Ohms



275 Inch Hex Driver, With Precision ESD Safe Dissipative

Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item	Hex	Flat	Phillips	Torx	Star	Tri	Hex
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
27505	0.028	40	1.6	120	4.7	.02	10
27510	0.035	40	1.6	120	4.7	.02	10
27513	0.05	40	1.6	120	4.7	.02	10
27537	1/16	50	2.0	145	5.7	.03	10
27539	5/64	50	2.0	145	5.7	.03	10
27541	3/32	60	2.4	170	6.7	.04	10
27543	7/64	60	2.4	170	6.7	.04	10
27545	1/8	60	2.4	170	6.7	.04	10
27547	9/64	60	2.4	170	6.7	.05	10
27549	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



275 Metric Hex Metric Driver, With Precision ESD Safe

Dissipative Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item	Hex	Flat	Phillips	Torx	Star	Tri	Hex
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
27507	0.7	40	1.6	120	4.7	.02	10
27509	0.9	40	1.6	120	4.7	.02	10
27513	1.3	40	1.6	120	4.7	.03	10
27515	1.5	50	2.0	145	5.7	.03	10
27520	2.0	50	2.0	145	5.7	.04	10
27525	2.5	60	2.4	170	6.7	.05	10
27530	3.0	60	2.4	170	6.7	.05	10
27535	4.0	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

27590 Set 8 Pcs. Hex Metric Precision ESD Safe Dissipative

Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item	Hex	Flat	Phillips	Torx	Star	Tri	
No.	mm	mm	mm	mm	mm	lbs.	
27590	27507	.71	40	27520	2.0	50	.53
	27509	.89	40	27525	2.5	60	
	27513	1.3	40	27530	3.0	60	
	27515	1.5	50	27535	4.0	60	



ESD standard IEC 61340-5-1

27591 8 Piece Hex Inch Precision Set, ESD Safe Dissipative

Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item	Hex	Flat	Phillips	Torx	Star	Tri	
No.	Inch	Inch	Inch	Inch	Inch	lbs.	
27591	27513	0.05	1.6	27543	7/64	2.4	.57
	27537	1/16	2.0	27545	1/8	2.4	
	27539	5/64	2.0	27547	9/64	2.4	
	27541	3/32	2.4	27549	5/32	2.4	



91118 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Pico Soft Grip Ball End Inch & Metric



SHOP

264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26493 7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item							
No.	Inch	Inch	Inch	Inch	lbs.		
26493	26455	1/16	2.0	26463	1/8	2.4	.27
	26457	5/64	2.0	26465	9/64	2.4	
	26459	3/32	2.0	26467	5/32	2.4	
	26461	7/64	2.4				



SHOP

264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle. Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Hex Inch & Metric



SHOP

263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	mm	Inch	mm	Inch	pkg.
26341	0.028(0.7)	40	1.6	134	5.3	10
26343	0.035(0.9)	40	1.6	134	5.3	10
26345	0.05(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

SHOP

26392 8 Piece Hex Inch Precision Driver Set

Item							
No.	Inch	Inch	Inch	Inch	lbs.		
26392	26341	0.028	1.6	26363	1/16	2.0	.24
	26343	0.035	1.6	26367	3/32	2.4	
	26345	0.05	1.6	26369	7/64	2.4	
	26349	5/64	2.0	26371	1/8	2.4	



SHOP

263 Hex Metric Driver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26341	0.7(0.028)	40	1.6	134	5.3	10
26343	0.9(0.035)	40	1.6	134	5.3	10
26345	1.3(0.05)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

SHOP

26393 7 Pc. Hex Metric Precision Driver Set

Item							
No.	mm	mm	mm	mm	lbs.		
26393	26341	0.7	40	26349	2.0	50	.22
	26343	0.9	40	26351	2.5	60	
	26345	1.3	40	26353	3.0	60	
	26347	1.5	50				

Wiha Hex Precision Series



263 Metric Metric Hex Driver, With Precision Handle

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26307	0.7	0.028	40	1.6	120	4.7	.02	10
26309	0.9	0.035	40	1.6	120	4.7	.02	10
26313	1.3	0.05	40	1.6	120	4.7	.02	10
26315	1.5	-	50	2.0	145	5.7	.03	10
26320	2.0	5/64	50	2.0	145	5.7	.03	10
26325	2.5	-	60	2.4	170	6.7	.04	10
26330	3.0	-	60	2.4	170	6.7	.04	10
26340	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26390 7 Pc. Precision Hex Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

Item	Hex	Hex	Hex	
No.	Inch	Inch	lbs.	
26390	26307	0.7	1.6	.28
	26309	0.9	1.6	
	26313	1.3	1.6	
	26315	1.5	2.0	
	26320	2.0	2.0	
	26325	2.5	2.4	
	26330	3.0	2.4	



26399 8 Piece Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item	Hex	Hex	Hex	Hex	Hex	Hex	Hex
No.	Inch	Inch	Inch	Inch	Inch	Inch	lbs.
26399	26307	0.028	1.6	26320	5/64	2.0	.55
	26309	0.035	1.6	26323	3/32	2.4	
	26313	0.05	1.6	26327	7/64	2.4	
	26316	1/16	2.0	26331	1/8	2.4	



263 Inch Inch Hex Driver, With Precision Handle

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex
No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
26307	.028	0.7	40	1.6	120	4.7	.02	10
26309	.035	0.9	40	1.6	120	4.7	.02	10
26313	0.05	1.3	40	1.6	120	4.7	.02	10
26316	1/16	-	50	2.0	145	5.7	.03	10
26320	5/64	2.0	50	2.0	145	5.7	.03	10
26323	3/32	-	60	2.4	170	6.7	.04	10
26327	7/64	-	60	2.4	170	6.7	.04	10
26331	1/8	-	60	2.4	170	6.7	.04	10
26333	9/64	-	60	2.4	170	6.7	.05	10
26336	5/32	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26391 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy CVM steel.

Item	Hex	Hex	Hex	
No.	Inch	Inch	lbs.	
26391	26307	0.028	1.6	.32
	26309	0.035	1.6	
	26313	0.05	1.6	
	26316	1/16	2.0	
	26320	5/64	2.0	
	26323	3/32	2.4	
	26327	7/64	2.4	
	26331	1/8	2.4	

Wiha Ball End Precision Series



264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.

Item	Hex	Hex	Hex	Hex	Hex	Hex	Hex	Hex
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	1.3	0.05	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate




26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°.

Blade high alloy CVM steel.

Item	Hex	Hex	Hex	
No.	mm	mm	lbs.	
26491	26413	1.3	40	.31
	26415	1.5	50	
	26420	2.0	50	
	26425	2.5	60	
	26430	3.0	60	

Wiha Ball End Precision Series



[SHOP](#)

264 Inch Ball End Hex Inch Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item								
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
26413	0.05	40	1.6	120	4.7	.02	10	
26416	1/16	50	2.0	145	5.7	.03	10	
26419	5/64	50	2.0	145	5.7	.03	10	
26423	3/32	50	2.0	145	5.7	.03	10	
26427	7/64	60	2.4	170	6.7	.03	10	
26431	1/8	60	2.4	170	6.7	.05	10	
26436	9/64	60	2.4	170	6.7	.05	10	
26439	5/32	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate

[SHOP](#)

Wiha Ball End Precision Series



[SHOP](#)

62995 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack

Wiha Proturm precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

62995 Set includes the following blades:

- ↓ Slotted: 1.5, 2.0, 3.0, 4.0
 - ⊕ Phillips: #000, #00, #0, #1
 - ⊛ TORX®: T6, T7, T8, T9, T10, T15, T20
 - ⬡ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
 - ⬡ Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- ↔ lbs. .87

62994 14 Piece Inch/Metric Ball End Hex Work Tech Pack

Proturm precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

- ⬡ Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
 - ⬡ Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- ↔ lbs. .66 Set in canvas storage pouch

26490 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.



Item				
No.	Inch	Inch	lbs.	
26490	26413	0.05	1.6	.40
	26416	1/16	2.0	
	26419	5/64	2.0	
	26423	3/32	2.0	
	26427	7/64	2.4	
	26431	1/8	2.4	
	26436	9/64	2.4	
	26439	5/32	2.4	

SYS 4 Drive-Loc Precision Locking Tools



[SHOP](#)

26961 ESD Safe Dissipative Precision Drive-Loc Handle

Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades

On 4mm Hex blades

Item					
No.	mm	mm	lbs.		
28003	1.3	+	1.3	.02	
28004	1.5	+	1.5	.02	
28005	2.0	+	2.0	.02	
28006	2.5	+	2.5	.02	
28007	3.0	+	3.0	.02	
28008	4.0	+	4.0	.02	

[SHOP](#)

26499 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item						
No.	Inch	Inch	Inch	Inch	lbs.	
26499	26413	0.05	1.6	26427	7/64	2.4
	26416	1/16	2.0	26431	1/8	2.4
	26419	5/64	2.0	26436	9/64	2.4
	26423	3/32	2.0	26439	5/32	2.4

[SHOP](#)

Rotating Cap for precise turning and control

Precision Handle high quality plastic, cadmium free. ESD Safe or Standard styles

Tapered Handle allows rapid rotation, requires less clearance

Tips exact fit, precision machined

Blades CVM steel, hardened, hard chromed

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item				
No.	mm	Inch	mm	Inch lbs.
26900	4.0	.1574	14.0	.55 .04



26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item				
No.	mm	Inch	mm	Inch lbs.
26901	4.0	.1574	14.0	.55 .06



269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade

Wiha vapor Chrome-Top finish on tips. One side hex, other side ball end hex.

Item				
No.	mm	mm	mm	Inch lbs.
26932	1.27+ 1.27	120	4.7	.05
26933	1.5 + 1.5	120	4.7	.05
26934	2.0 + 2.0	120	4.7	.06
26935	2.5 + 2.5	120	4.7	.06
26936	3.0 + 3.0	120	4.7	.06
26937	4.0 + 4.0	120	4.7	.06



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item				
No.	mm	Inch	mm	Inch lbs.
28000	4.0	.1574	14.0	.55 .04




28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item				
No.	mm	Inch	mm	Inch lbs.
28001	4.0	.1574	14.0	.55 .04



280 SYSTEM 4 Metric Ball End Hex Interchangeable Blade Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	mm	mm	Inch	lbs. pkg.
28033	1.5	120	4.7	.06 1
28034	2.0	120	4.7	.06 1
28035	2.5	120	4.7	.06 1
28036	3.0	120	4.7	.06 1
28037	4.0	120	4.7	.06 1



280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06



269 SYSTEM 4 Metric Hex, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26915	1.3	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



269 SYSTEM 4 Inch Hex, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
26921	0.05	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06

26999 9 Pc. Hex Metric Precision Blade Set Set includes the following blades:

- Hex Metric:** 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs.** .66

Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades

26999 9 Pc. Hex Metric Precision Blade Set Set includes the following blades:

- Hex Metric:** 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs.** .66

26989 9 Pc. Hex Inch Precision Blade Set Set includes the following blades:

- Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- lbs.** .64

Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades

26989 9 Pc. Hex Inch Precision Blade Set Set includes the following blades:

- Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- lbs.** .64

SYSTEM 4 Handles & Micro Bits

Tips
exact fit,
precision
machined

Rotating Cap
for precise
turning and
control

Tapered Handle
allows rapid rotation,
requires less clearance

Bits CVM steel,
hardened





Use bits directly in handle or with 4" bit extension



110mm/4.3" OAL

75800 SYSTEM 4 Standard Precision Bit

Handle with rotating control cap. Tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits.

Item				
No.	mm	Inch	mm	Inch lbs.
75800	4.0	.1574	14.0	.55 .06







110mm/4.3" OAL

75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle





with rotating control cap. Tapered, high quality plastic, impact resistant. **Advantages:**

- For working in ESD sensitive applications Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item				
No.	mm	Inch	mm	Inch lbs.
75801	4.0	.1574	14.0	.55 .06







75901 Magnetic Bit Extension Blade For SYSTEM 4 Micro Bits Shaft CVM steel, hardened. Magnetic bit holder.

Item				
No.	Size	mm	mm	lbs.
75901	4.0	100	4.0	.04







75900 Extension Blade For SYSTEM 4 Micro Bits Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4 mm bits.

Item				
No.	Size	mm	mm	lbs.
75900	4.0	100	4.0	.07







753 SYSTEM 4 Hex Metric Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75307	.71	28	1.1	.01
75309	.89	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01







753 SYSTEM 4 Hex Inch Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01







753 SYSTEM 4 Metric Security Hex Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01



753 SYSTEM 4 Security Hex Inch Bits High alloy CVM steel, hardened, on 4 mm hex stock.




Item				
No.	Inch	mm	Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

Wiha SYSTEM 4 Micro Bits & Compact Bit Sets



75395 18 Piece SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, In Compact Fold Out Box



Wiha precision handle, bit extension & 16 Wiha interchangeable bits.

Item No.	Combination Bit Set
75395	Set with Standard Precision Handle
Set includes the following bits:	
	Hex Metric: .71, .89, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension
	lbs. .58




75096 16 Piece Precision Micro Bit Hex Inch & Metric Sets

ESD Safe precision handle, Bit Extension and 14 CVM steel Micro Bits.

Set includes the following Micro Bits:	
	Inch: 0.89/0.35", 1.3/.050", 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
	lbs. .14



75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs. Wiha precision storage handle & 6 interchangeable bits.

Item No.	Precision Storage Handle Set
75983	 Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8"
	lbs. .08



Wiha Cushion Grip Stubby Bit Holder

Stubby 6 in 1 Multi-Bit Driver Sets



38056 Ball End Hex SoftFinish® Cushion Grip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

● Ball End Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	lbs. .21
---	-------------



38057 Hex Metric SoftFinish® Cushion Grip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

● Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	lbs. .18
---	-------------



38058 Hex Inch SoftFinish® Cushion Grip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:

● Hex Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	lbs. .18
---	-------------

Wiha Cushion Grip Pop-Up Bit Holder



38049 Hex Inch & Metric Pop-Up Bit Screwdriver Set

SoftFinish handle, multi-component. Compact storage holds 12 bits.

Set includes the following 1/4" bits:

● Hex Inch: 5/64, 3/32, 1/8, 5/32, 3/16, 1/4"	lbs.
● Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	.42

Wiha Torque Ratchet Bit Sets

Smooth, high torque, silent ratchet handle

Pistol Grip Handle ergonomic design with free running mechanism. Instant clutch engagement allows constant turning pressure on the fastener.



No release

of handle is needed, change of direction can be made with index finger and thumb.

Allows for quick adjustment to right, left or fixed turning.

Opens a new generation of easier torque transmission



28298 12 Piece Hex Inch Topra Ratchet Bit Set

Set includes Topra Handle, Magnetic bit holder and the following bits:

● Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	lbs. .65
--	-------------



28299 10 Piece Hex Metric Topra Ratchet Bit Set

Set includes Topra Handle, Magnetic bit holder and the following bits:

● Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	lbs. .65
---	-------------

Wiha Bit Selectors

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Plastic storage box is compact, durable and light weight

Slide out drawer allows quick bit access and secure storage



Molded hex cavity in box end Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

1/4" Magnetic Adapter fits all standard 1/4" bits

792 Sets Bit-Selector Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



[SHOP](#)

79276 Bit-Selector With Ball End Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

<ul style="list-style-type: none"> Ball End Hex Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" 	<ul style="list-style-type: none"> lbs. .30
--	--



Item #79246

[SHOP](#)

79246 Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

<ul style="list-style-type: none"> Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" 	<ul style="list-style-type: none"> lbs. .32
---	--

79256 Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

<ul style="list-style-type: none"> Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm 	<ul style="list-style-type: none"> lbs. .30
--	--



[SHOP](#)

79266 Bit-Selector With Security Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 9 Bits:

<ul style="list-style-type: none"> Hex Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" 	<ul style="list-style-type: none"> lbs. .31
---	--

Screw Holding



MagicRing



[SHOP](#)

71399 Bit-Selector With Metric & Inch MagicRing Insert 1/4" Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

<ul style="list-style-type: none"> No Ball End Hex Metric: 3.0, 4.0, 5.0, 6.0mm Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" 	<ul style="list-style-type: none"> lbs. .46
--	--

Wiha MagicRing Insert Bits

Screw Holding Hex Bits



[SHOP](#)

713 MagicRing Metric Insert Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
71304	3.0	25	1	.01
71307	4.0	25	1	.01
71310	5.0	25	1	.01
71311	6.0	25	1	.01

713 MagicRing Inch Insert Bits, 1/4"

Item No.	Inch	mm	pkg.	lbs.
71343	1/8	25	1	.01
71346	9/64	25	1	.01
71349	5/32	25	1	.01
71352	3/16	25	1	.01
71354	7/32	25	1	.01
71358	1/4	25	1	.01

[SHOP](#)

Wiha MagicRing Power Bits

Screw Holding Hex Bits



[SHOP](#)

743 MagicRing Metric Power Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
74301	3.0	50	1	.02
74305	4.0	50	1	.02
74307	5.0	50	1	.03
74319	6.0	50	1	.03

743 MagicRing Inch Power Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
74369	1/8	50	1	.02
74371	9/64	50	1	.02
74373	5/32	50	1	.02
74375	3/16	50	1	.03
74377	7/32	50	1	.03
74379	1/4	50	1	.03

[SHOP](#)



Wiha XSelector Bit Sets

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool

Easy bit access with hinged cover



XSelector Pocket Sized
3-1/8" x 2-1/8" x 1/2"

Sets include Clicfix quick release holder

794 Sets XSelector Bit Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clip.



79446 XSelector Bit Set With Hex Inch Bits

Set Includes Quick Release Holder and the following 10 bits:

lbs. .27

- Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha Security Hex Inch & Metric PokitPaks



71998 PokitPak - Security Hex Inch Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits

- Inch Security Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"

lbs. .12



71995 PokitPak - Security Hex Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits

- Metric Security Hex: 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

lbs. .31

Wiha Power Bit Belt Packs



74986 Power Bit Belt Pack With Inch & Metric Hex Bits


Set includes the following 10 bits:

- Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- Metric: 3.0, 4.0, 5.0, 6.0mm

lbs. .34



Screw Holding Hex Bits



74989 Power Bit Belt Pack With Screw Holding Hex MagicRing Bits


Set includes the following 10 bits:

- Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- Metric: 3.0, 4.0, 5.0, 6.0mm

lbs. .34



Screw Holding Hex Bits



74999 Power Bit Belt Pack With Screw Holding Inch & Metric Ball End Hex MagicRing Bits

Set includes the following 10 bits:

- Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- Metric: 3.0, 4.0, 5.0, 6.0mm

lbs. .37

Wiha Security Hex Inch Multi Bit Set



38014 Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set

With Wiha Powerhandle & CVM steel, hardened shaft.

Set includes the following 1/4" bits:

- Security Hex: 3/32, 1/8, 5/32, 3/16, 7/32"

lbs. .39

Hex Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual & machine Hardness HRC 59-61



713 Hex Inch Insert Bits, 1/4"

Item					
No.	Inch	mm	pkg.	lbs.	
71329	.050	25	10	.12	
71326	1/16	25	10	.12	
71328	5/64	25	10	.12	
71330	3/32	25	10	.12	
71333	7/64	25	10	.12	
71336	1/8	25	10	.12	
71339	9/64	25	10	.12	
71342	5/32	25	10	.12	
71345	3/16	25	10	.13	
71348	7/32	25	10	.13	
71351	1/4	25	10	.13	
71353	5/16	25	10	.20	
71356	3/8	25	10	.25	



713 Hex Metric Insert Bits, 1/4"

Item					
No.	mm	mm	pkg.	lbs.	
71303	1.5	25	10	.12	
71306	2.0	25	10	.12	
71308	2.5	25	10	.12	
71309	3.0	25	10	.12	
71312	4.0	25	10	.12	
71315	5.0	25	10	.14	
71318	6.0	25	10	.14	
71321	8.0	25	10	.20	
71324	10.0	25	10	.27	

725 Hex Metric Insert Contractor Grade, 1/4"

Item					
No.	Size	mm	pkg.	lbs.	
72582	2.0	25	30 pc	.85	
72583	2.5	25	30 pc	.85	
72584	3.0	25	30 pc	.85	
72585	4.0	25	30 pc	.85	
72586	5.0	25	30 pc	.85	
72587	6.0	25	30 pc	.85	

Wiha Hex Inch & Metric Insert Bit Packs



713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item					
No.	Inch	mm	lbs.		
71359	.050	25	.03		
71360	1/16	25	.03		
71361	5/64	25	.03		
71362	3/32	25	.03		
71363	7/64	25	.03		
71364	1/8	25	.03		
71365	9/64	25	.03		
71366	5/32	25	.04		
71367	3/16	25	.04		
71368	7/32	25	.04		
71369	1/4	25	.04		
71373	5/16	25	.05		
71387	3/8	25	.06		

733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item					
No.	mm	mm	lbs.		
73301	1.5	25	.03		
73302	2.0	25	.03		
73303	2.5	25	.03		
73304	3.0	25	.03		
73305	4.0	25	.03		
73306	5.0	25	.03		
73307	6.0	25	.04		
73308	8.0	25	.05		
73309	10.0	25	.06		



71396 Hex Inch Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71396 Set includes the following bits:

	Hex Inch:
	1/16, 3/32, 1/8, 5/32
wt. .13	3/16, 1/4" x 1" (25mm)

71397 Hex Metric Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71397 Set includes the following bits:

	Hex Metric:
wt. .21	2.0, 2.5, 3.0, 4.0, 5.0, 6.0

Wiha Security Hex Insert Bits



719 Security Hex In Insert Bits, 1/4"

Item					
No.	Inch	mm	pkg.	lbs.	
71930	5/64	25	10	.12	
71932	3/32	25	10	.12	
71934	7/64	25	10	.12	
71936	1/8	25	10	.12	
71938	9/64	25	10	.12	
71940	5/32	25	10	.12	
71955	3/16	25	10	.13	
71956	7/32	25	10	.14	
71960	1/4	25	10	.15	



719 Security Hex Metric Insert Bits, 1/4"

Item					
No.	mm	mm	pkg.	lbs.	
71939	2.0	25	10	.12	
71941	2.5	25	10	.12	
71942	3.0	25	10	.12	
71943	4.0	25	10	.12	
71944	5.0	25	10	.15	
71945	6.0	25	10	.15	
71946	8.0	25	10	.20	



719 Security Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item					
No.	Inch	mm	lbs.		
71970	5/64	25	.03		
71971	3/32	25	.03		
71972	7/64	25	.03		
71973	1/8	25	.03		
71974	9/64	25	.03		
71975	5/32	25	.03		
71976	3/16	25	.04		
71977	7/32	25	.04		
71978	1/4	25	.04		

719 Security Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item					
No.	mm	mm	lbs.		
71979	2.0	25	.03		
71980	2.5	25	.03		
71981	3.0	25	.03		
71982	4.0	25	.03		
71983	5.0	25	.04		
71984	6.0	25	.04		
71985	8.0	25	.05		


Wiha Hex Inch & Metric Power Bits



743 Hex Inch Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item	No.	Inch	mm	pkg.	lbs.
	74311	3/32	50	10	.30
	74312	7/64	50	10	.30
	74313	1/8	50	10	.30
	74314	9/64	50	10	.30
	74315	5/32	50	10	.30
	74316	3/16	50	10	.30
	74317	7/32	50	10	.30
	74318	1/4	50	10	.30



743 Hex Metric Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item	No.	mm	mm	pkg.	lbs.
	74325	2.5	50	10	.25
	74330	3.0	50	10	.25
	74340	4.0	50	10	.25
	74350	5.0	50	10	.25
	74360	6.0	50	10	.25
	74380	8.0	50	10	.38



743 Hex Inch Power Bit Packs, 2"

Item	No.	Inch	mm	lbs.
	74381	3/32	50	.07
	74382	7/64	50	.07
	74383	1/8	50	.07
	74384	9/64	50	.07
	74385	5/32	50	.07
	74386	3/16	50	.07
	74387	7/32	50	.07
	74388	1/4	50	.07

743 Hex Metric Power Bit Packs, 2"


Item	No.	mm	mm	lbs.
	74361	2.5	50	.07
	74362	3.0	50	.07
	74363	4.0	50	.07
	74364	5.0	50	.07
	74365	6.0	50	.07
	74366	8.0	50	.09



743 Hex Inch Power Bits

1/4" Hex Drive, Length 2.75"/70mm

Item	No.	Inch	mm	pkg.	lbs.
	74341	5/64	70	1	.36
	74342	3/32	70	1	.36
	74343	7/64	70	1	.36
	74344	1/8	70	1	.36
	74345	9/64	70	1	.36
	74346	5/32	70	1	.36
	74347	3/16	70	1	.36
	74348	7/32	70	1	.36
	74349	1/4	70	1	.36



743 Hex Metric Power Bits

1/4" Hex Drive, Length 2.75"/70mm

Item	No.	mm	mm	pkg.	lbs.
	74351	2.0	70	1	.36
	74352	2.5	70	1	.36
	74353	3.0	70	1	.36
	74354	4.0	70	1	.36
	74355	5.0	70	1	.36
	74356	6.0	70	1	.36
	74357	8.0	70	1	.36



743 Hex Metric Power Bits

1/4" Hex Drive, Length 3.5"/90mm

Item	No.	mm	mm	pkg.	lbs.
	74332	2.0	90	1	.38
	74333	2.5	90	1	.38
	74334	3.0	90	1	.38
	74335	4.0	90	1	.38
	74336	5.0	90	1	.38
	74337	6.0	90	1	.38

Stainless Steel Hex Metric Bits



701 Stainless Steel Hex Metric Insert Bits

Item	No.	mm	mm	pkg.
	70170	1.5	25	10
	70171	2.0	25	10
	70172	2.5	25	10
	70173	3.0	25	10
	70174	4.0	25	10
	70175	5.0	25	10
	70176	6.0	25	10

Hex Metric Long Insert Bit On 5/16"



72388 Hex Metric Bit On 5/16" Stock

Item	No.	mm	mm	pkg.	lbs.
	72388	12.0	75	10	.14

Wiha Ball End Hex Inch Insert Bits



717 Ball End Hex Inch Insert Bits, 1/4"

Item	No.	Inch	mm	pkg.	lbs.
	71701	3/32	25	10	.12
	71702	7/64	25	10	.12
	71703	1/8	25	10	.12
	71704	9/64	25	10	.12
	71705	5/32	25	10	.12
	71706	3/16	25	10	.13
	71707	7/32	25	10	.13
	71708	1/4	25	10	.13



717 Ball End Hex Inch Insert Bit Packs, 1"

Item	No.	Inch	mm	lbs.
	71711	3/32	25	.03
	71712	7/64	25	.03
	71713	1/8	25	.03
	71714	9/64	25	.03
	71715	5/32	25	.04
	71716	3/16	25	.04
	71717	7/32	25	.04
	71718	1/4	25	.04

Ball End Hex Metric Power Bits



717 Ball End Hex Metric Power Bits

1/4" Hex Drive, Length 1.5"/38mm

Item	No.	mm	mm	pkg.
	71719	1.5	38	1
	71720	2.0	38	1
	71721	2.5	38	1
	71722	3.0	38	1
	71723	4.0	38	1
	71724	5.0	38	1
	71725	6.0	38	1

Wiha Terminator Hex Inch & Metric Impact Bits - Insert & Power

**Up To 30X
Performance Over
Standard
Screwdriver Bits**



Dual material impact absorbing torsion zone

Impact rated bits for long life in impact applications

Provide up to 30 times impact performance over standard bits

Standard 1/4" drive - No special adaptor required

Wiha enhanced bi-material torsion zone

Precision machined exact fit tips

Wiha exclusive CVM tool steel

Guaranteed to out perform impact imposters



765 Hex Inch Terminator Impact Bits, 1/4" Insert - 10 bit pack

Item No.	Inch	mm	pkg.	SHOP
76530	1/8	29	10	
76531	9/64	29	10	
76532	5/32	29	10	
76533	3/16	29	10	
76534	7/32	29	10	
76535	1/4	29	10	



765 Hex Metric Terminator Impact Bits, 1/4" Insert - 10 bit pack

Item No.	Inch	mm	pkg.	SHOP
76523	3.0	29	10	
76524	4.0	29	10	
76525	5.0	29	10	
76526	6.0	29	10	



768 Hex Inch Terminator Impact Bits, 1/4" Insert - 2 bit pack

Item No.	Inch	mm	pkg.	SHOP
76830	1/8	29	2	
76831	9/64	29	2	
76832	5/32	29	2	
76833	3/16	29	2	
76834	7/32	29	2	
76835	1/4	29	2	




768 Hex Metric Terminator Impact Bits, 1/4" Insert - 2 bit pack

Item No.	Inch	mm	pkg.	SHOP
76823	3.0	29	2	
76824	4.0	29	2	
76825	5.0	29	2	
76826	6.0	29	2	



1/4" Drive Insert & Power Bits



**Up To 30X Performance
Over Standard Screwdriver Bits**



76893 7 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm

76893 Set includes the following bits:

- Hex Inch: 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 4, 5, 6mm



91247 Empty Bit Buddy Case Holds Terminator Impact Insert Bits

91247 Holds 7 Impact Bits



765 Hex Inch Terminator Impact Bits, 1/4" Power - 10 bit pack

Item No.	Inch	mm	pkg.	SHOP
76570	1/8	49	10	
76571	9/64	49	10	
76572	5/32	49	10	
76573	3/16	49	10	
76574	7/32	49	10	
76575	1/4	49	10	



768 Hex Inch Terminator Impact Bits, 1/4" Power - 2 bit pack

Item No.	Inch	mm	pkg.	SHOP
76870	1/8	49	2	
76871	9/64	49	2	
76872	5/32	49	2	
76873	3/16	49	2	
76874	7/32	49	2	
76875	1/4	49	2	



765 Hex Metric Terminator Impact Bits, 1/4" Power - 10 bit pack

Item No.	Inch	mm	pkg.	SHOP
76563	3.0	49	10	
76564	4.0	49	10	
76565	5.0	49	10	
76566	6.0	49	10	



768 Hex Metric Terminator Impact Bits, 1/4" Power - 2 bit pack

Item No.	Inch	mm	pkg.	SHOP
76863	3.0	49	2	
76864	4.0	49	2	
76865	5.0	49	2	
76866	6.0	49	2	



76894 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76894 Set includes the following bits:

- Hex Inch: 5/32, 3/16, 7/32, 1/4"
- Hex Metric: 4, 5, 6mm



91313 Empty Bit Buddy Case Holds Terminator Impact Power Bits





91313 Holds 7 Impact Bits

Wiha Bit Holders

Quick Release







714 ClicFix Bit Holder, Magnetic, For Insert Bits

Item				
No.	Size	Size	mm	Inch
71490	1/4"	1/4"	60	2.4
71491	1/4"	1/4"	75	2.9

Quick Release



714 CentroFix Bit Holder For Power Bits





Item				
No.	Size	Size	mm	Inch
71480	1/4"	1/4"	60	2.3

Wiha Impact Bit Holding Sockets




720 Impact Bit Holding Socket With Retaining Ring

For 1/4" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
72001	1/4	25	1/4"	.05
72002	1/4	30	3/8"	.10
72003	1/4	35	1/2"	.21

72090 3 Piece Bit Holding Socket Set

for use with 1/4" Insert bits




Drive:		lbs.
1/4", 3/8", 1/2"		.40

Long Blade Sockets & Sets



771 Hex Metric Sockets

1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
77140	2.5	6.0	.13
77142	3.0	6.0	.13
77144	4.0	6.0	.13
77146	5.0	6.0	.13
77148	6.0	6.0	.13

77192 5 Pc. Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm




	lbs. .70
--	----------



Long Blade Sockets & Sets




771 Hex Inch Sockets 1/4" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
77128	3/32	6.0	.12
77130	7/64	6.0	.12
77132	1/8	6.0	.12
77134	9/64	6.0	.12
77136	5/32	6.0	.12
77138	3/16	6.0	.12
77139	7/32	6.0	.12
77141	1/4	6.0	.12




77191 8 Piece Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32,

3/16, 7/32, 1/4"  wt. .97



771 Hex Inch Sockets 3/8" Drive 6" Long Bit Socket

Item			
No.	Size	Inch	lbs.
77165	3/32	6.0	.18
77167	7/64	6.0	.18
77169	1/8	6.0	.18
77171	9/64	6.0	.18
77173	5/32	6.0	.18
77175	3/16	6.0	.18
77177	7/32	6.0	.18
77179	1/4	6.0	.18




77198 22 Piece Hex & TORX® Long Blade Socket Set, 1/4" Drive

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32,

3/16, 7/32, 1/4"

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40




	lbs. 2.82
---	-----------

Wiha Sockets



713 Hex Sockets 1/4" Square drive socket.

Replaceable bit. 1/4" bits CVM steel.




Item			
No.	Inch	mm	lbs.
71371	1/16	38	.05
71370	5/64	38	.05
71372	3/32	38	.05
71374	7/64	38	.05
71376	1/8	38	.05
71378	9/64	38	.05
71380	5/32	38	.05
71382	3/16	38	.05
71384	7/32	38	.05
71386	1/4	38	.05

Wiha Sockets



[SHOP](#)




713 Hex Sockets 3/8" Square drive socket.
Replaceable bit. 1/4" bits CVM tool steel.

Item			
No.	Inch	mm	lbs.
71375	1/8	42	.09
71377	9/64	42	.09
71379	5/32	42	.09
71381	3/16	42	.09
71383	7/32	42	.09
71385	1/4	42	.09
71388	5/16	42	.10
71390	3/8	42	.10



[SHOP](#)




713 Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71301	1.5	38	.04
71302	2.0	38	.04
71305	2.5	38	.04
71313	3.0	38	.04
71314	4.0	38	.04
71317	5.0	38	.05
71319	6.0	38	.05
71327	8.0	38	.05
71340	10.0	38	.05



[SHOP](#)


713 Hex Metric Sockets 3/8" Square drive socket.
Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71300	2.0	42	.09
71316	2.5	42	.09
71341	3.0	42	.09
71331	4.0	42	.09
71323	5.0	42	.09
71325	6.0	42	.09
71320	8.0	42	.10
71322	10.0	42	.11



[SHOP](#)

713 Hex Metric Sockets 3/8" Square drive socket.
Replaceable bit. 5/16" bits CVM steel.




Item			
No.	mm	mm	lbs.
71332	12.0	75	.22






Replaceable bit

[SHOP](#)

761 Security Hex Inch Sockets
3/8" Square drive socket. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
76164	5/64	42	.09
76165	3/32	42	.09
76166	7/64	42	.09
76167	1/8	42	.09
76168	9/64	42	.09
76169	5/32	42	.09
76170	3/16	42	.09
76171	7/32	42	.09
76172	1/4	42	.09




761 Security Hex Metric Sockets
3/8" Square drive socket. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
76132	2.0	42	.09
76133	2.5	42	.09
76134	3.0	42	.09
76135	4.0	42	.09
76136	5.0	42	.09
76137	6.0	42	.09
76138	8.0	42	.09



[SHOP](#)




717 Ball End Hex Sockets 1/4" Square drive socket. Replaceable bit.
1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
71761	3/32	38	.09
71762	7/64	38	.09
71763	1/8	38	.09
71764	9/64	38	.09
71765	5/32	38	.09
71766	3/16	38	.09
71767	7/32	38	.09
71768	1/4	38	.09




[SHOP](#)

717 Ball End Hex Metric Sockets
1/4" Square drive socket. Replaceable bit.
1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71771	1.5	51	.11
71772	2.0	51	.11
71773	2.5	51	.11
71774	3.0	51	.11
71775	4.0	51	.11
71776	5.0	51	.12
71777	6.0	51	.12

Wiha Socket Sets On Molded Rails




Bits CVM tool steel




71391 10 Piece Hex Inch Socket Set

1/4" Square drive replaceable bit socket.

Item No. 

71391 lbs. Set includes the following:
 .48 1/16, 5/64, 3/32, 7/64, 1/8
 9/64, 5/32, 3/16, 7/32, 1/4"



Bits CVM tool steel




71798 8 Pc. Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.

Item No. 

71798 lbs. Set includes the following:
 .72 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



Bits CVM tool steel




71398 7 Pc. Ball End Hex Inch Socket Set

1/4" Square Drive Replaceable Bit Socket.

Item No. 

71398 lbs. Set includes the following:
 .48 3/32, 1/8, 9/64, 5/32,
 3/16, 7/32, 1/4"



Bits CVM tool steel



71797 7 Pc. Ball End Hex Metric Sockets

1/4" Square Drive Replaceable Bit Socket.

Item No. 

71797 lbs. Set includes the following:
 .72 3.0, 4.0, 5.0, 6.0mm




Bits CVM tool steel



71392 8 Piece Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 


71392 lbs. Set includes the following:
 .78 1/8, 9/64, 5/32, 3/16, 7/32,
 1/4, 5/16, 3/8"

Bits CVM tool steel



71393 5 Piece Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71393 lbs. Set includes the following:
 .54 1/4, 5/16, 3/8"

Bits CVM tool steel



71394 5 Piece Hex Metric Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71394 lbs. Set includes the following:
 .56 8.0, 10.0mm

Bits CVM tool steel



71996 9 Piece Hex Metric Socket Set

1/4" & 3/8" Sq. Dr. Replaceable Bit Socket

Item No. 

71996 lbs. Set includes the following:
 .66 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
 3/8": 5.0, 6.0, 8.0, 10.0mm

Bits CVM tool steel



71999 9 Pc. Security Hex Inch Socket Set

3/8" Square Drive Replaceable Bit Socket.

Item No. 


71999 lbs. Set includes the following:
 .86 5/64, 3/32, 7/64, 1/8,
 9/64, 5/32, 3/16, 7/32, 1/4"

Bits CVM tool steel



71989 7 Pc. Security Hex Metric Sockets

3/8" Square Drive Replaceable Bit Socket.

Item No. 

71989 lbs. Set includes the following:
 .74 2.0, 2.5, 3.0, 4.0, 5.0,
 6.0, 8.0mm

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
10810	23	26425	28	27543	26	28364	25	31805	22	33450	12
13650	22	26427	29	27545	26	28365	25	31807	22	33452	12
13651	22	26430	28	27547	26	28486	23	31809	22	33453	13
13652	22	26431	29	27549	26	28487	23	31811	22	33454	12
13653	22	26436	29	27590	26	28488	23	31813	22	33456	13
13654	22	26439	29	27591	26	28501	24	31815	22	33458	12
13655	22	26440	28	28000	30	28502	24	31817	22	33459	13
13656	22	26441	27	28001	30	28503	24	31890	22	33462	13
13657	22	26443	27	28003	29	28504	24	32302	21	33465	13
13658	22	26445	27	28004	29	28505	24	32303	21	33468	13
13659	22	26447	27	28005	29	28506	24	32304	21	33471	13
13662	22	26449	27	28006	29	28507	24	32305	21	33474	13
13663	22	26455	27	28007	29	28508	24	32306	21	33477	13
13664	22	26457	27	28008	29	28509	24	32308	21	33478	21
13665	22	26459	27	28021	30	28511	24	32366	21	33480	13
13666	22	26461	27	28023	30	28513	24	33401	13	33481	21
13667	22	26463	27	28024	30	28515	24	33402	13	33482	21
13668	22	26465	27	28025	30	28517	24	33403	13	33483	21
13669	22	26467	27	28026	30	28518	24	33404	13	33484	13
13670	22	26490	29	28027	30	28519	24	33405	13	33485	21
13671	22	26491	28	28028	30	28521	24	33406	13	33486	21
13672	22	26493	27	28029	30	28523	24	33407	13	33487	21
13673	22	26499	29	28033	30	28525	24	33408	13	33488	13
13690	22	26900	30	28034	30	28545	24	33409	13	33489	12
13691	22	26901	30	28035	30	28546	24	33410	13	33490	21
13693	22	26913	30	28036	30	28547	24	33411	13	33492	13
13694	22	26914	30	28037	30	28548	24	33412	13	33493	13
26307	28	26915	30	28105	23	28549	24	33413	13	33494	12
26309	28	26916	30	28116	23	28550	24	33414	13	33496	12
26313	28	26917	30	28117	23	28551	24	33415	13	33498	12
26315	28	26918	30	28118	23	28552	24	33416	13	33499	12
26316	28	26919	30	28119	23	28553	24	33417	13	35104	19
26320	28	26920	30	28120	23	28554	24	33418	12	35108	19
26323	28	26921	30	28122	23	28555	24	33419	13	35112	19
26325	28	26923	30	28123	23	28556	24	33420	12	35116	19
26327	28	26924	30	28124	23	28557	24	33421	13	35120	19
26330	28	26925	30	28149	23	28558	24	33422	12	35124	19
26331	28	26926	30	28150	23	28559	24	33423	13	35128	19
26333	28	26927	30	28151	23	28560	24	33424	12	35132	19
26336	28	26928	30	28189	23	28587	24	33425	13	35136	19
26340	28	26929	30	28298	32	28588	24	33426	12	35140	19
26341	27	26932	30	28299	32	28724	24	33427	13	35143	19
26343	27	26933	30	28332	24	28726	24	33428	12	35144	19
26345	27	26934	30	28333	24	28727	24	33429	13	35145	19
26347	27	26935	30	28334	24	28734	24	33430	12	35146	19
26349	27	26936	30	28335	24	28736	24	33432	12	35147	19
26351	27	26937	30	28336	24	28737	24	33433	12	35150	19
26353	27	26961	29	28337	24	28916	25	33434	13	35152	19
26363	27	26989	30	28338	24	28917	25	33435	13	35153	19
26367	27	26999	30	28349	25	28918	25	33436	13	35155	19
26369	27	27505	26	28351	25	28919	25	33437	13	35156	19
26371	27	27507	26	28352	25	28920	25	33438	13	35159	19
26390	28	27509	26	28353	25	28921	25	33439	12	35162	19
26391	28	27510	26	28354	25	28922	25	33440	12	35165	19
26392	27	27513	26	28355	25	28923	25	33441	21	35168	19
26393	27	27515	26	28356	25	28924	25	33442	12	35171	19
26399	28	27520	26	28357	25	28931	25	33443	21	35174	19
26413	28	27525	26	28358	25	28933	25	33444	12	35175	19
26415	28	27530	26	28359	25	28935	25	33445	21	35176	19
26416	29	27535	26	28360	25	28937	25	33446	12	35177	19
26419	29	27537	26	28361	25	28938	25	33447	21	35178	19
26420	28	27539	26	28362	25	28939	25	33448	12	35179	19
26423	29	27541	26	28363	25	28940	25	33449	21	35180	19

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
35191	19	35258	18	36720	15	36945	8	46724	16	56903	5
35192	19	35259	18	36723	14	36946	8	46725	16	56904	5
35193	19	35260	18	36725	15	36947	8	46726	16	56905	5
35194	19	35261	18	36726	14	36949	6	46727	9	56906	5
35195	17	35270	18	36728	14	36950	8	46728	16	56907	5
35196	17	35280	18	36730	15	36951	6	46730	16	56908	5
35197	17	35282	18	36732	14	36952	8	46731	9	56909	5
35198	17	35284	18	36734	14	36953	8	46732	9	56910	5
35200	18	35285	18	36736	14	36954	6	46733	9	56911	5
35201	18	35286	18	36738	14	36955	8	46734	9	56912	5
35202	18	35288	18	36740	15	36956	8	46735	9	56913	5
35203	18	35290	18	36742	14	36957	6	46736	9	56914	5
35204	18	35291	18	36744	14	36958	6	46737	9	56915	5
35205	18	35295	18	36750	15	36959	8	46738	9	56916	5
35206	18	35297	18	36760	15	36960	6	46739	9	56917	5
35208	18	35301	20	36780	15	36961	6	46740	16	56918	5
35210	18	35302	20	36786	15	36962	8	46741	9	56919	5
35211	18	35303	20	36790	15	36963	6	46750	16	56920	5
35212	18	35304	20	36791	14	36965	8	46760	16	56921	5
35213	18	35305	20	36792	15	36966	9	46780	16	56922	5
35214	18	35306	20	36793	14	36968	8	46786	16	62994	29
35215	18	35307	20	36794	14	36971	8	46793	16	62995	29
35216	18	35308	20	36900	9	36986	5	46794	16	66904	4,6
35217	18	35309	20	36901	9	36987	5	46796	16	66908	4,6
35218	18	35310	20	36902	9	36988	7	46797	16	66912	4,6
35219	18	35311	20	36903	9	36989	9	46799	16	66916	4
35220	18	35312	20	36904	8	36990	8	54001	11	66918	6
35221	18	35313	20	36905	9	36991	8	54002	11	66920	4
35222	18	35314	20	36906	9	36992	8	54003	11	66922	6
35223	18	35316	20	36907	9	36993	8	54004	11	66924	4
35224	18	35317	20	36908	8	36995	7	54005	11	66926	6
35225	18	35318	20	36909	9	36996	17	54006	11	66928	4
35226	18	35319	20	36910	9	36997	17	54007	11	66930	6
35227	18	35320	20	36911	7	36998	6	54008	11	66936	4
35228	18	35321	20	36912	8	36999	9	54009	11	66937	6
35230	18	35330	20	36913	7	38014	34	54010	11	66938	6
35231	18	35331	20	36914	7	38049	32	54012	10	66944	4
35232	18	35332	20	36915	7	38056	32	54014	10	66945	4
35233	18	35333	20	36916	8	38057	32	54016	10	66946	4
35234	18	35334	20	36917	7	38058	32	54018	10	66947	4
35235	18	35335	20	36918	7	46701	9	54020	11	66950	4
35236	18	35336	20	36919	7	46702	16	54022	10	66952	4
35237	18	35337	20	36920	8	46703	9	54024	10	66953	4
35238	18	35338	20	36921	7	46704	16	54025	11	66955	4
35239	18	35339	20	36922	7	46705	9	54030	11	66956	4
35240	18	35340	20	36923	9	46706	16	54040	10	66959	4
35241	18	35341	20	36924	8	46707	9	54042	11	66962	4
35242	18	35342	20	36925	9	46708	16	54050	10	66965	4
35243	18	35343	20	36926	9	46709	9	54052	11	66968	4
35244	18	35345	20	36927	9	46710	16	54060	10	66971	4
35245	18	35346	20	36928	8	46711	9	54062	11	66982	7
35246	18	35347	20	36929	9	46712	16	54080	10	66988	7
35247	18	35348	20	36930	9	46713	9	54082	11	66990	4
35248	18	35390	20	36931	9	46714	16	54086	10	66991	4
35249	18	35391	20	36932	9	46715	16	54088	11	66992	4
35250	18	35392	20	36933	9	46716	16	54090	10	66993	6
35251	18	35393	20	36934	9	46717	9	54091	10	66994	6
35252	18	36696	7	36935	9	46718	16	54092	11	66995	6
35253	18	36710	14	36936	8	46719	9	54094	11	66996	7
35254	18	36713	14	36937	9	46720	16	54095	11	66997	17
35255	18	36715	15	36938	9	46721	9	54097	11	66998	6
35256	18	36716	14	36939	9	46722	16	56901	5	70170	36
35257	18	36719	14	36944	8	46723	9	56902	5	70171	36


Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
70172	36	71367	35	71767	39	73305	35	74387	36	76564	37
70173	36	71368	35	71768	39	73306	35	74388	36	76565	37
70174	36	71369	35	71771	39	73307	35	74986	34	76566	37
70175	36	71370	38	71772	39	73308	35	74989	34	76570	37
70176	36	71371	38	71773	39	73309	35	74999	34	76571	37
71300	39	71372	38	71774	39	74301	33	75096	31	76572	37
71301	39	71373	35	71775	39	74305	33	75307	31	76573	37
71302	39	71374	38	71776	39	74307	33	75309	31	76574	37
71303	35	71375	39	71777	39	74311	36	75313	31	76575	37
71304	33	71376	38	71797	40	74312	36	75315	31	76823	37
71305	39	71377	39	71798	40	74313	36	75320	31	76824	37
71306	35	71378	38	71930	35	74314	36	75322	31	76825	37
71307	33	71379	39	71932	35	74315	36	75325	31	76826	37
71308	35	71380	38	71934	35	74316	36	75327	31	76830	37
71309	35	71381	39	71936	35	74317	36	75330	31	76831	37
71310	33	71382	38	71938	35	74318	36	75332	31	76832	37
71311	33	71383	39	71939	35	74319	33	75340	31	76833	37
71312	35	71384	38	71940	35	74325	36	75342	31	76834	37
71313	39	71385	39	71941	35	74330	36	75350	31	76835	37
71314	39	71386	38	71942	35	74332	36	75352	31	76863	37
71315	35	71387	35	71943	35	74333	36	75354	31	76864	37
71316	39	71388	39	71944	35	74334	36	75356	31	76865	37
71317	39	71390	39	71945	35	74335	36	75358	31	76866	37
71318	35	71391	40	71946	35	74336	36	75360	31	76870	37
71319	39	71392	40	71955	35	74337	36	75362	31	76871	37
71320	39	71393	40	71956	35	74340	36	75364	31	76872	37
71321	35	71394	40	71960	35	74341	36	75366	31	76873	37
71322	39	71396	35	71970	35	74342	36	75368	31	76874	37
71323	39	71397	35	71971	35	74343	36	75370	31	76875	37
71324	35	71398	40	71972	35	74344	36	75372	31	76893	37
71325	39	71399	33	71973	35	74345	36	75395	31	76894	37
71326	35	71480	38	71974	35	74346	36	75800	31	77128	38
71327	39	71490	38	71975	35	74347	36	75801	31	77130	38
71328	35	71491	38	71976	35	74348	36	75900	31	77132	38
71329	35	71701	36	71977	35	74349	36	75901	31	77134	38
71330	35	71702	36	71978	35	74350	36	75983	31	77136	38
71331	39	71703	36	71979	35	74351	36	76132	39	77138	38
71332	39	71704	36	71980	35	74352	36	76133	39	77139	38
71333	35	71705	36	71981	35	74353	36	76134	39	77140	38
71336	35	71706	36	71982	35	74354	36	76135	39	77141	38
71339	35	71707	36	71983	35	74355	36	76136	39	77142	38
71340	39	71708	36	71984	35	74356	36	76137	39	77144	38
71341	39	71711	36	71985	35	74357	36	76138	39	77146	38
71342	35	71712	36	71989	40	74360	36	76164	39	77148	38
71343	33	71713	36	71995	34	74361	36	76165	39	77165	38
71345	35	71714	36	71996	40	74362	36	76166	39	77167	38
71346	33	71715	36	71998	34	74363	36	76167	39	77169	38
71348	35	71716	36	71999	40	74364	36	76168	39	77171	38
71349	33	71717	36	72001	38	74365	36	76169	39	77173	38
71351	35	71718	36	72002	38	74366	36	76170	39	77175	38
71352	33	71719	36	72003	38	74369	33	76171	39	77177	38
71353	35	71720	36	72090	38	74371	33	76172	39	77179	38
71354	33	71721	36	72388	36	74373	33	76523	37	77191	38
71356	35	71722	36	72582	35	74375	33	76524	37	77192	38
71358	33	71723	36	72583	35	74377	33	76525	37	77198	38
71359	35	71724	36	72584	35	74379	33	76526	37	79246	33
71360	35	71725	36	72585	35	74380	36	76530	37	79256	33
71361	35	71761	39	72586	35	74381	36	76531	37	79266	33
71362	35	71762	39	72587	35	74382	36	76532	37	79276	33
71363	35	71763	39	73301	35	74383	36	76533	37	79446	34
71364	35	71764	39	73302	35	74384	36	76534	37	91118	26
71365	35	71765	39	73303	35	74385	36	76535	37	91247	37
71366	35	71766	39	73304	35	74386	36	76563	37	91313	37

MANUFACTURING
EXCELLENCE
AWARD
BESTES KMU
2014

WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.



wiha 
Tools that work for you



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com

Catalog Item No. 99934.w0
version - 4/1/15

Subject to change
without notice

©2015 Willi Hahn Corporation

To:

**SEE OUR
GREAT
WEB
SPECIALS!**




91330.w0 - Tooling Catalog



99004.w0 - Shop Tools Catalog



99914.w0 - TORX Catalog



99002.w0 - Screwdrivers Catalog



99919.w0 - Insulated Catalog



99001.w0 - TorqueControl Catalog



99945.w0 - ESD Safe Catalog



99951.w0 - Bits Catalog



99977.w0 - Pliers/Crimpers Catalog



99006.w0 - Tech Tools Catalog