

USB C to DVI External Video Adapter with USB-A Hub, USB-C PD Charging & Gigabit Ethernet Ports, 1920 x 1080 (1080p)

MODEL NUMBER: **U444-06N-DGU-C**



Description

The U444-06N-DGU-C USB 3.1 Gen 1 to DVI DisplayPort Alternate Mode External Video Adapter supports USB DisplayPort Alternate Mode for displaying video on a DVI monitor or projector via your computer, laptop or tablet's USB-C port. It's an ideal tool for multitasking, editing documents, or giving presentations at trade shows and conferences.

No software, drivers or external power supply is needed. Connect the adapter's USB-C male plug to the USB-C port on your device. Then, connect the adapter's DVI female port to a monitor using a DVI cable (such as Tripp Lite's P561-Series) to see full DVI video. The U444-06N-DGU-C supports DVI single-link video resolutions up to 1920 x 1080 (1080p) at 60 Hz and DVI digital transfer rates up to 6.75 Gbps (2.25 Gbps per channel).

The U444-06N-DGU-C includes an RJ45 Gigabit Ethernet port. Connect to a network with a UTP cable, such as Tripp Lite's N201-Series Cat6 cables, and enjoy true 10/100/1000 Mbps Ethernet speeds.

The USB 3.1 hub port connects USB-A peripherals, such as a thumb drive or printer. It's backward compatible with previous USB generations, and supports USB 3.1 Gen 1 data transfer rates up to 5 Gbps.

The USB-C Power Delivery (PD) charging port supports power input up to 20V 3A (60W). It powers the device that the U444-06N-DGU-C is plugged into, as well as a peripheral plugged into its USB-A port, by connecting the charging port to a USB-C wall charger.

Highlights

- Supports USB DisplayPort Alternate Mode for transmitting video
- Supports DVI single-link video resolutions up to 1080p (@ 60 Hz)
- Supports true 10/100/1000 Mbps Ethernet network speeds
- Supports USB 3.1 Gen 1 data transfer rates up to 5 Gbps
- USB-C Power Delivery (PD Charging) port connects to wall charger to power connected computer
- PD Charging port supports power input up to 20V 3A
- Plug-and-play—no software or drivers required

System Requirements

- USB-C device that supports USB DisplayPort Alternate Mode
- DVI-enabled display

Package Includes

- U444-06N-DGU-C USB 3.1 Gen 1 to DVI DisplayPort Alternate Mode External Video Adapter with USB-C PD Charging
- Owner's manual



Features

Easy to Add a DVI Display

- Supports USB DisplayPort Alternate Mode for transmitting video to a DVI display via your computer, tablet, laptop or smartphone's USB-C port
- Ideal for multitasking, viewing spreadsheet data, editing documents and giving presentations
- Plug-and-play—no software, external power supply or drivers required
- Supports DVI single-link video resolutions up to 1920 x 1080 (1080p) @ 60 Hz
- Supports DVI digital transfer rates of 6.75 Gbps (2.25 Gbps per channel)

RJ45 Gigabit Ethernet Port

- Supports true 10/100/1000 Mbps network speeds

USB-A Hub Port

- Connect USB peripherals, such as a thumb drive or printer, to your device
- Backward compatible with previous USB generations
- Supports USB 3.1 Gen 1 data transfer rates up to 5 Gbps

USB-C Power Delivery Port for Charging Portable Devices

- Supports power input up to 20V 3A (60W)
- Connects to USB-C wall charger to power connected devices

Specifications

CONNECTIONS	
Side A - Connector 1	USB C (MALE)
Side B - Connector 1	DVI-I DUAL-LINK (FEMALE) (WIRED TO DVI-D SINGLE-LINK)
Side B - Connector 2	USB 3.0 A (FEMALE)
Side B - Connector 3	RJ45 (FEMALE)
Side B - Connector 4	USB C (FEMALE)
WARRANTY	
Product Warranty Period (Worldwide)	1-year limited warranty

© 2017 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>